


APX[™] PROJECT 25 RADIO ACCESSORIES



SAFETY WITHOUT COMPROMISE





MISSION CRITICAL PERFORMANCE THAT PUTS SAFETY FIRST





Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness.

Get the most out of your APX radio by extending its power and reliability with APX accessories. They are the only accessories, tested and certified for use with APX radios. Our accessories endure rigorous testing to help keep you safer. There's simply no substitute for APX accessories.

Hazards that can impede other batteries, don't affect ours. We build superior batteries specifically for Motorola radios, then test them in real-world conditions against other manufacturers to prove they are the toughest and most reliable around.



APX 4000 SRX 2200 APX 6000XE APX 4000 APX 3000 APX 1000 SERIES SERIES SERIES SERIES SERIES SERIES

MOTOROLA'S EXCLUSIVE AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS

IMPRES™ENERGY: YOUR BATTERY SAFER, **SMARTER, POWERED FOR LONGER**

Only IMPRES technology gives you the most accurate information on the state of your battery so you know it's fully charged to last the entire shift. IMPRES batteries can be charged 150 more times than a standard battery.

DUAL-MIC NOISE SUPPRESSION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.

IMPRES™ AUDIO: I HEAR YOU, **HOWEVER YOU SPEAK**

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.


WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

Reduce the effect of wind and other outdoor noise so your messages are always heard clearly.

NOISE-CANCELING AUDIO: HEAR YOU, NOT THE NOISE

Reduce the effect of background crowd noise, sounds of sirens and horns so your messages are always heard clearly.

XE REMOTE SPEAKER MICROPHONE (RSM) Designed by Firefighters for Firefighters. This Microphone has exaggerated controls you can operate with bulky gloves and an asymmetrical shape so you can find the controls you need without looking. Dual Mic Noise Suppression allows clear communications in demanding and extreme noise environments. I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF



COMPATIBILITY	ACCESSORY			FEATU	RES							MARKET ¹						
XE REMOTE SPEA	KER MICROPHONE	(RSM)																
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR VOLUM NOISE-CANCELING CONTR	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL PROGRAMMABLE CONTROL BUTTON	AUDIO IP JACK RA	INTRINS SAFETY RATING	IC SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
	XE RSM WITH X	TREME TEMPERATURE CABLE																
		Xtreme Temperature Cable High Impact Green Housing	NNTN8575A	•	Dual Mic Noise Suppression			1	•	IP68 FM	75 x 100 x 33		•					
APX 7000 SERIES	-	Xtreme Temperature Cable Black Housing	NNTN8575ABLK	•	Dual Mic Noise Suppression			1	•	IP68 FM	75 x 100 x 33		•					
APX 7000XE SERIES		Xtreme Temperature Cable Yellow Housing	NNTN8575AYLW	•	Dual Mic Noise Suppression			1	•	IP68 FM	75 x 100 x 33		•					
1	XE RSM WITH S	TANDARD CABLE																
APX 6000 SERIES		Standard Cable High Impact Green Housing	NNTN8203A	•	Dual Mic Noise Suppression			1	•	IP68 FM	75 x 100 x 33		•					
APX 6000XE SERIES		Standard Cable Black Housing	NNTN8203ABLK	•	Dual Mic Noise Suppression			1	٠	IP68 FM	75 x 100 x 33		•					
		Standard Cable Yellow Housing	NNTN8203AYLW	•	Dual Mic Noise Suppression			1	٠	IP68 FM	75 x 100 x 33		•					

² Two settings switch for volume – high and low.

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh

water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.



APX™ XP REMOTE SPEAKER MICROPHONE

DUAL MIC NOISE SUPPRESSION

This Remote Speaker Microphone with its thin design and optimized ergonomics is ideal for police officers and other public safety users.

With Dual Mic Noise Suppression, you will be heard despite traffic noise and sirens in the background.

When it gets dirty, just wash the microphone head to ensure your communication is not compromised.

WIRELESS REMOTE SPEAKER MICROPHONE

Secure pairing is easier than ever with voice prompts as there is no need to navigate menus or enter codes.

Removing the cord from the RSM makes getting ready for work quicker than ever. No more worrying about getting tangled with the seatbelt or other equipment.

This wireless RSM features a large, but recessed push-to-talk and emergency buttons to ensure that users have easy access to controls but don't have to worry about accidental activation. Additional features include volume control, an audio jack, 360 degree rotatable clip, as well as a task light that allows you to read items such as a driver's license in the dark.

COMPATIBILITY	ACCESSORY			FEATURE	ES								MARKET ¹							
	R MICROPHONES (R ions even in loud environ	SM) Our robust portfolio includes Remote Spments.	eaker Microphone	s and secor	ndary audio access	sories engir	neered to give you	All rem	ote speaker n	nicrophone	s are built with to	p quality mate	rials includ	ling durab	le Kevlar º	® cables th	at survive	tough worki	ng condition	S.
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING		ORANGE PROGRAMMABLE DISPLAY BUTTON	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE	EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 7000 SERIES	Î	IMPRES XP RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271	•	Dual Mic Noise Suppression	Step	3		1		♦ IP68	95 x 69 x 27	•			•	•	•		•
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		IMPRES XP RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control, 1-Programmable Button and Orange Button (IP55)	NMN6274	•	Dual Mic Noise Suppression	Step			1	3.5 mm	IP55	95 x 69 x 27	•			•	•	•		•
SRX 2200 SERIES		Wireless RSM with Battery, Clip (RLN6544) and Dual Unit Charger (PMLN7120)	RLN6554		Windporting	Step	3		1	3.5 mm	IP55	88 x 63 x 26	•		•	•	•	•		•

 $^{^{\}rm 2}\,\mbox{Two}$ settings switch for volume – high and low.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

WINDPORTING (MOTOROLA EXCLUSIVE) OR NOISE-CANCELLING: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission. Noise-cancelling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily activated if you are in trouble. This button can also be set for any programmable feature on the radio, such as emergency.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, IP57 resists submersion in 1 meter of fresh water for 30 minutes and IP68 exceeds industry specs. Product is Ruggedized

and is heated at 27°C higher than the water temperature for 2 hours then immediately immersed to a depth of 1 meter for another 2 hours.

¹ These are recommended uses based on typical use case for each market listed.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATUR	RES										MARKE	T'					
REMOTE SPE clearer commu	EAKER MICROPHONES (Inications even in loud enviro	RSM) Our robust portfolio includes Remote Speaker Microphones and seconnents.	ndary audio acces	ssories er	ngineered to give y	you	All remo	ote speal	ker micro	phones are b	uilt with t	op qualit	y materia	als including o	urable K	K evlar ® ca	bles tha	t survive 1	ough workir	ıg conditio	ns.
APX PORTABLE RAD	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING*	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 700 SERIES		IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104	•	Windporting	Step		•	•	2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•	•	•	•	•	•
APX 700 SERIES		IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103	•	Windporting	Step		•		2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•	•	•	•	•	•
APX 600 SERIES		IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101	•	Windporting	Step				2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•	•	•	•	•	•
SERIES APX 400 SERIES	100	IMPRES RSM Windporting, Rugged (IP68)	PMMN4083	•	Windporting					0		♦ IP68	FM TIA [†]	60 x 78 x 28	•	•	•	•	•	•	•
APX 300 SERIES		IMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4084	•	Noise- Canceling					0	3.5 mm	IP54	FM TIA [†]	60 x 78 x 28	•		•	•	•	•	•
SRX 220 SERIES	00	IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP55)	PMMN4099	•	Windporting	High/Low ²				1	3.5 mm	IP55		60 x 78 x 28	•		•	•	•		•
SRX 220		Windporting RSM, small, submersible (IP57), Coyote Brown	NNTN8235		Windporting					0		♦ IP57	FM	55 x 60 x 27			•				
SERIES	6	Windporting RSM with NON-Threaded 3.5mm Audio Jack, small (IP54), Coyote Brown	NNTN8236		Windporting					0	3.5 mm	IP54	FM	55 x 60 x 27			•				
APX 7000 SERIE		IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4062	•	Noise- Canceling					0	3.5 mm	IP54	FM TIA [†]	60 x 78 x 28	•		•	•	•	•	•
APX 7000XE SEI APX 6000 SERIE APX 6000XE SEI APX 4000 SERIE APX 3000 SERIE	ES RIES ES ES ES	IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065	•	Windporting	High/Low ²				1		♦ IP57	FM TIA [†]	60 x 78 x 28	•		•	•	•	•	•
APX 1000 SERIE SRX 2200 SERIE		IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069	•	Windporting					0	3.5 mm	IP55	FM TIA†	60 x 78 x 28	•		•	•	•	•	•

¹ These are recommended uses based on typical use case for each market listed.

² Two settings switch for volume – high and low.

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

COMI	ATIBILITY	ACCESSORY		
			ORIES AND REPLACEMENT PARTS	
APX PO	RTABLE RADIOS	REMOTE SPEAKER MICROPHONES ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER
XE R	SM REPLACE	MENT PARTS		
	APX 7000 SERIES	*	Xtreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)	30009402002
	APX 7000XE SERIES	*	Standard Temperature Replacement Cable for XE RSM (NNTN8203 series)	30009402001
	APX 6000 SERIES		Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	FIRE MARKET SOLUTION NNTN8271
	APX 6000XE SERIES	3	Clip Button	The XE RSM clip paired with a clip button allow easy and secure access your RSM when used v a Boston Radio Strap w Button Back Holder.
ACCI	ESSORIES AN	ID REPLACEMENT PART	S	
l.,	APX 7000		Dual Unit Charger,rapid rate charger, 120V (US Plug)	PMLN7120
	SERIES			
	APX 7000XE SERIES		Vehicular Charger	PMLN6716
_	APX 7000XE		Vehicular Charger	PMLN6716
_	APX 7000XE SERIES APX 6000		Vehicular Charger Wireless RSM with Battery and Clip	PMLN6716 RLN6544
	APX 7000XE SERIES APX 6000 SERIES APX 6000XE			
	APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		Wireless RSM with Battery and Clip	RLN6544



	ATIBILITY	ACCESSORY R MICROPHONE ACCESSORIES	AND DEDLACEMENT DADTO		FEATURES		
	BLE RADIOS	REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	INTRINSIC SAFETY RATING
			Receive-Only Earpiece with Comfort Eartube, FM approved	RLN4941†			
			Receive-Only Earpbud, Single Wire, Threaded 3.5 mm connector	BDN6781			
	APX 7000 SERIES	0	Receive-Only Earbud, FM approved	AARLN4885 [†]			
	APX 7000XE SERIES	8	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513			
	APX 6000 SERIES	0	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Earbud	3.5mm	FM
	APX 6000XE SERIES		Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	3.5mm	FM
	APX 4000 SERIES		D-Shell Rx-Only Earpiece	PMLN4620	Over-the-Ear	3.5mm	FM
	APX 1000	@	Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	3.5mm	FM TIA [†]
	SERIES SRX 2200 SERIES		Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)	RMN5116	Over-the-Head	8-Pin	FM
		55	Receive-Only Earpiece with translucent tube and rubber eartip (for HMN4104, HMN4103 and HMN4101 only)	RLN6424	Clear Rubber Eartip	8-Pin	FM
			Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)	5080384F72	Foam Eartip		
		GIII	Replacement Rubber Eartip for RLN6424 (Pack of 25)	5080370E97			
NOTE: See pa	age 24 for high noise ea	arpiece solutions. † UL certified TIA 4950 appro	ved when used with a UL certified TIA 4950 approved APX 4000 two knob radio				

is clearer, easier to understand, and up to 50% louder. That's because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.

WHICH

CLEARER?

APX Remote Speaker

MICROPHONES ARE 50% LOUDER AND

Microphones and Public Safety Microphones deliver audio that

	TIBILITY OTE SPEAKER	ACCESSORY R MICROPHONE ACCESSORIES	AND REPLACEMENT PARTS		
PORTAB	LE RADIOS	REMOTE SPEAKER MICROPHONES ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	CONNECTOR TYPE
	APX 7000 SERIES	Summan Summan	Display RSM Interface Cable, 5-Pin Nexus Female Receptacle	PMKN4107	5-Pin Nexus Female
	APX 7000XE SERIES APX 6000 SERIES		Display RSM Interface Cable 4-Pin Nexus Male Plug	PMKN4112	4-Pin Nexus Male
	APX 6000XE SERIES APX 4000 SERIES		Display RSM Interface Cable, 12-Pin Hirose Male Connector	PMKN4113	12-Pin Hirose Male
	APX 3000 SERIES		Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
	APX 1000 SERIES SRX 2200 SERIES		Replacement Coil Cord Kit for PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	



COMPATIBILITY	ACCESSORY			FEATURES									MARKET ¹						
PUBLIC SAFETY N	MICROPHONES Our rons even in loud enviror	obust portfolio includes Public Safety Microph nments.	ones and secondar	y audio acce	ssories engineered to	give you													
APX PORTABLE RADIOS	PUBLIC SAFETY MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING*	INTRINSIC SAFETY RATING	SIZE (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATIO
APX 7000 700/800 MHz only	1.	IMPRES Windporting Public Safety Microphone (30 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4061	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•		
APX 6000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (24 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4060	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•		
APX 3000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (18 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4059	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•		


² Two settings switch for volume – high and low.

 $^{\rm 1}\, {\rm These}$ are recommended uses based on typical use case for each market listed.

submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

^{*} International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection — MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.


COMPATIBILITY	ACCESSORY			FEATURES		
	egrated microphone/receiv you, from traffic noise to d	ver lets you talk discreetly and hear clearly ar ther responders.	nd still be aware			
APX PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	1000	Integrated Ear Microphone/Receiver System with Palm PTT (Includes adapter BDN6783)	RLN6480	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Palm
APX 7000 SERIES APX 7000XE SERIES	- CO	Integrated Ear Microphone/Receiver System with PTT on Adapter (Includes adapter BDN6783)	RLN6482	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	On Adapter
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES	60 mg	Integrated Ear Microphone/Receiver System with Snap-On-Side PTT (Includes adapter BDN6783)	RLN6481	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Side
APX 3000 SERIES SRX 2200 SERIES	30	Integrated Ear Microphone/Receiver System with Ring PTT (Includes adapter BDN6783)	RLN6483	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Ring
	30 2	Integrated Ear Microphone/Receiver System with Body PTT (Includes adapter BDN6783)	RLN6484	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Body



COMPATIBILITY COMMPORT™	ACCESSORY		
APX PORTABLE RADIOS	ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER
		Replacement Palm PTT for RLN6480	NKN6510
		Replacement Cable for RLN6481	NKN6508
APX 7000 SERIES		Replacement Snap-On-Side PTT for RLN6482	NKN6525
APX 7000XE SERIES		Replacement Ring PTT for RLN6483	NKN6512
APX 6000 SERIES		Replacement Remote Body PTT for RLN6484	NNTN4188
APX 6000XE		Ear Microphone Assembly	NTN8819
SERIES APX 4000	(4)	CommPort Maintenance Kit (Includes 10 replacement ear tubes, 10 microphone seals and 2 windscreens)	NTN8821
SERIES		Adhesive Pads for secure attachment to ear (Pack of 90)	NTN8986
APX 3000 SERIES	occocoopa o	Ear Straps for secure attachment to ear (pack of 10)	NTN8988
SRX 2200 SERIES	\	Replacement Ear Tubes (pack of 10)	RLN5037
		Replacement Collar Clip	4285838B01
		Back Cover Clip	4202006A01




COMPATIBILITY	ACCESSORY			FEATURES						MARKET ¹						
EAR MICROPHON	E SYSTEM															
APX PORTABLE RADIOS	EAR MICROPHONE System	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	РТТ	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
	200	IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653	•	In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed	0	FM APPROVED FOR APX™ 7000, APX 7000XE, APX 6000, APX 6000XE	•		•	•			





HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility. If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.



COMPATIBILITY	ACCESSORY			FEATURES						MARKET ¹						
		Transmit and receive discreetly with a vaick-disconnect, durable and comfortable tra				rugged			transmissions and one wi r receiving transmissions, p			e and push-to-	talk.			
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	РТТ	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 7000 SERIES		1-Wire Receive-only earpiece, black	PMLN6125	•	Ear Hanger				FM TIA [†]	•		•	•			
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		1-Wire Receive-only earpiece, beige	PMLN6126	•	Ear Hanger				FM TIA [†]	•		•	•			
APX 4000 SERIES APX 3000 SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	Ear Hanger	Ť	•		FM TIA [†]	•		•	•			
APX 1000 SERIES SRX 2200 SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	Ear Hanger	Mic and PTT combined on a single wire	Mic and PTT combined on a single wire	1	FM TIA [†]	•		•	•			

† UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 4000 two knob radio

louder regardless of level or direction you're speaking into the accessory.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushPROGRAMMABLE BUTTON: This programmable button allows you to access key features to-talk (2-Wire surveillance kit) or on a separate wire (3-Wire surveillance kits). Microphones while you keep your radio on your belt or hidden under a jacket.

¹These are recommended uses based on typical use case for each market listed.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATURES		_				MARKET ¹				
SURVEILLANCE	KITS													
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	РТТ	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS OIL, GAS AND MINING TRANSPORT.
		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	Clear Rubber Eartip	•			FM TIA [†]	•		•	•	
	0.9	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	Clear Rubber Eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	Y	FM TIA [†]	•		•	•	
APX 7000 SERIES		IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	Clear Rubber Eartip			4 (8)	FM TIA [†]	•		•	•	
APX 7000XE SERIES	9	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	Clear Rubber Eartip	Separate wire	Separate wire		FM TIA [†]	•		•	•	
APX 6000 SERIES		2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6038		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			•		•	•	
APX 6000XE SERIES		3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6039		Ear Hanger	Separate wire	Separate wire			•		•	•	
APX 4000 SERIES		2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6032		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			•		•	•	
APX 3000		3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6031		Ear Hanger	Separate wire	Separate wire			•		•	•	
SERIES		1-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6664		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
APX 1000 SERIES		1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
SRX 2200 SERIES	O	1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6665		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	
		1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•	

† UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 4000 two knob radio

¹These are recommended uses based on typical use case for each market listed.

COMPATIBILITY	ACCESSORY							MARKET ¹						
SURVEILLANCE K	TS													
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Beige, 3.5mm Threaded. Requires BDN6783	RLN5314	Clear rubber eartip				•		•	•			
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES	and a	1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5313	Clear rubber eartip				•		•	•			
APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES	G9'	2-Wire Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5312	Clear rubber eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire		•		•	•			
APX 1000 SERIES SRX 2200 SERIES		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6666	Ear Hanger			FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6728	Ear Hanger			FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 7000	i.	2-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6667	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
SERIES APX 7000XE SERIES		2-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 6000 SERIES		2-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6669	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 6000XE SERIES		2-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 4000 SERIES		3-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 3000 SERIES		3-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 1000 SERIES		3-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6670	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
SERIES		3-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			



¹These are recommended uses based on typical use case for each market listed.

COMPATIBILI [*]		SSORY			FEATURES	
SURVEILL	ANCE KIT ACC	ESSORIES AN	ND REPLACEMENT PARTS			
APX PORTABLE		EILLANCE SSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
			Completely Discreet Earpiece Kit with Neckloop, Beige, Includes RLN4921, RLN4920 and RNN4005	RLN4922		
			Phonak Nano Ear Receiver, Beige (Neckloop must be ordered separately)	GMLN5261		
		D	Phonak Nano Ear Receiver, Brown (Neckloop must be ordered separately)	GMLN5262		
APX SER	(7000 IES		Replacement Earwax guards. 5 per pack. Compatible with RLN4922	RLN4919		
APX SER	(7000XE	5	Optional Retention Hooks, Pack of 10	NNTN8457		
<u></u>	(6000		Phonak Phonito Intra Ear Receiver Included in the RLN4922	RLN4921		
	(6000XE		Phonak Inductive Neckloop Included in the RLN4922	RLN4920		
SER			1.4 Volt Battery – Pack of 6	RNN4005		
SER	44000 BIES	37	Low Noise Kit with Quick Disconnect translucent tube and 1clear rubber eartip	RLN6242	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
APX SER	(3000 HES	O To	Replacement standard clear rubber eartip, Pack of 50	RLN6282	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130
APX SER	(1000 IIES		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB.* Pack of 50 pairs.	5080384F72	Foam eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
SRX SER	(2200 EIES	- Miller	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear rubber eartip	RLN5882, RLN5883,
			High Noise Kit* with 2 foam earplugs	RLN5887	Foam eartip	— PMLN5111, PMLN5112, PMLN6125, PMLN6126
		4.5	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply [™] foam eartip	RLN5882, RLN5883,
			Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply [™] foam eartip	PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128,
			Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply [™] foam eartip	PMLN6129, PMLN6130

^{*} For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 24dB.



COMPATIBILITY	ACCESSORY			FEATURES
SURVEILLANCE KI	T ACCESSORIES AN	D REPLACEMENT PARTS		
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
	2	Small Clear Comfortable Earpiece, right ear	RLN4760	Clear comfortable earpiece
APX 7000 SERIES		Medium Clear Comfortable Earpiece, right ear	RLN4761	Clear comfortable earpiece
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		Large Clear Comfortable Earpiece, right ear	RLN4762	Clear comfortable earpiece
APX 4000 SERIES APX 3000 SERIES APX 1000 SERIES		Small Clear Comfortable Earpiece, left ear	RLN4763	Clear comfortable earpiece
SRX 2200 SERIES		Medium Clear Comfortable Earpiece, left ear	RLN4764	Clear comfortable earpiece
		Large Clear Comfortable Earpiece, left ear	RLN4765	Clear comfortable earpiece
SURVEILLANCE KI	T AUDIO ADAPTERS			
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		3.5mm Threaded Audio Adapter	BDN6783	BDN6664, BDN6665, BDN6666, BDN6667, BDN6668, BDN6669, BDN6726, BDN6727, BDN6728, BDN6729, BDN6730, BDN6731, BDN6732, BDN6670
APX 4000 SERIES APX 3000 SERIES APX 1000 SERIES SRX 2200 SERIES		6 Pin Hirose Keyload & Audio Adapter, FM/IS rated	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039



XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

COMPATIBILITY	ACCESSORY			FEATURES								MARKET ¹						
HEADSETS																		
APX PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	РТТ	INTRINSIC SAFETY RATING	WEIGHT	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
	2	IMPRES Temple Transducer with boom microphone and inline push-to-talk 7580384M19 - Replacement rubber temple cover (1 pair)	PMLN5101	•	Behind- the-Head	Bone Conduction		Boom	In-line	FM	Lightweight	•		•		•	•	•
APX 7000 SERIES APX 7000XE SERIES	R S	Earset D-Shell	PMLN5096		Over- the-Ear	Single-Ear		Boom	In-line		Lightweight							
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		Ultra Lite Headset	PMLN5102		Over- the-Head	Single-Ear		Boom	In-line		Lightweight							
APX 1000 SERIES SRX 2200 SERIES	CS	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic REX4648 - replacement foam earpad and microphone cover kit	RMN5058		Over- the-Head	Single-Ear		Boom	In-line	FM TIA [†]	Lightweight			•		•	•	•
	9	Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN5275		Behind- the-Head	Dual-Ear	•	Boom	In-line	FM TIA [†]	Heavy-Duty					•	•	•
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490*		Behind-the- Neck	Dual-Ear	•	Boom	Radio, headset or wireless PTT pod		Heavy-Duty					•		•
APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES	8.	XBT Operations Critical Wireless Headband Style Headset	RLN6491*		Over- the-Head	Dual-Ear	•	Boom	Radio, headset or wireless PTT pod		Heavy-Duty					•		•

COMPATIBILITY	ACCESSORY				FEATURES					
3M PELTOR HEAVY	Y DUTY HEADSETS									
APX PORTABLE RADIOS	3M PELTOR HEAVY DUTY HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	NOISE CANCELLING MICROPHONE	PTT (APX)
DIRECT CONNECT										
APX 7000 SERIES APX 7000XE SERIES		MT Series Over-The-Head Headset, direct radio connect	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES		MT Series Neckband Headset, direct radio connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup
APX 3000 SERIES SRX 2200 SERIES		MT Series Hard Hat Attached Headset, direct radio connect	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup
PTT ADAPTER CON	NFIGURATIONS									
		MT Series Over-the-Head Headset with Nexus connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
		MT Series Neckband Headset with Nexus connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapter PMLN6095
APX 7000 SERIES APX 7000XE SERIES		MT Series Hard Hat Attached with Nexus connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapter PMLN6095
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES		TacticalPro Series Over-The-Head Headset with Nexus connector	RMN4052	MT15H7A-34	Over-The-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095
APX 3000 SERIES SRX 2200 SERIES	60	TacticalPro Series Neckband Headset with Nexus connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
	0	TacticalPro Series Hard Hat Attached with Nexus connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095
	2	PTT Nexus Adapter	PMLN6095	FL5063-34						
RSM CONFIGURAT	TIONS									
APX 7000 SERIES APX 7000XE SERIES	60	HT Series Listen Only Over-The- Head Headset with 3.5mm NON threaded connector	RMN4055	HTM79A-34	Over-The- Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	ADV di
APX 6000 SERIES APX 6000XE SERIES	90	HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	APX radio requires RSM: PMMN4062, PMMN4069 or
APX 4000 SERIES APX 3000 SERIES SRX 2200 SERIES		HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	PMMN4084



COMPATIBILITY	ACCESSORY			
REPLACEMENT PA	ARTS			
APX PORTABLE RADIOS	REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
APX 7000 SERIES		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
APX 7000XE SERIES APX 6000 SERIES		Hygiene Tape for Microphone	RLN6542	HYM1000
APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		Boom Microphone Wind Screen	RLN6543	M40/1
SRX 2200 SERIES		Metal Boom with Microphone	RMN5131	MT7N

COMPA	TIBILITY	ACCESSORY			FEATURES				MARKET ¹						
HEAR	ING PROTEC	TION													
APX POR	RTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATIO
	00 SERIES 00XE SERIES		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511		Comply™ Foam Ear tip		Noise Reduction					•	•	•
APX 600	00 SERIES 00XE SERIES 00 SERIES 00 SERIES		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512		Comply™ Foam Ear tip		Noise Reduction					•	•	•
APX 100	00 SERIES		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513		Comply™ Foam Ear tip		Noise Reduction					•	•	•
TACTI	ICAL SOLUTI	ONS							'						
	APX 7000 SERIES		Tactical PTT/VOX Interface Module	PMLN6765					•	•	•	•	•		•
3	APX 7000XE SERIES		Tactical PTT Only Interface Module	PMLN6827					•	•	•	•	•		•
	APX 6000		Tactical Boomless Temple Transducer (requires Interface Module PMLN6765 or PMLN6827)	PMLN6766		Over- the-head	Bone Conduction	Noise Cancelling	•		•	•	•		•
	SERIES APX 6000XE		Tactical Throat Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6828		Neckband	Earbud	Noise Cancelling	•		•	•	•		•
	SERIES		Tactical Ear Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6829		In-Ear	In-Ear	Noise Cancelling	•	•			•		•
	APX 4000 SERIES	OM	Tactical Temple Transducer / Boom Mic (requires Interface Module PMLN6765 or PMLN6827)	PMLN6833		Over- the-head	Bone Conduction	Noise Cancelling	•			•	•		•
	APX 3000 SERIES		Tactical Remote Body PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6767					•	•	•	•	•		•
	SRX 2200 SERIES	700	Tactical Remote Ring PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6830						•		•			•

WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

RLN6511, RLN6512, RLN6513

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memory-foam Comply™ Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.* With a patented EarLock® technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit, as shown in picture.

*EP7 earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

Motorola's Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headset assures efficient and safer operation in a variety of work environments.

¹These are recommended uses based on typical use case for each market listed.

 $_{30}$



COMM / THE DIET T	71002000111			12/1/01/20										W Unit					
MISSION CRITICA to remove the radio f	AL WIRELESS ACCES from your belt and stay co	SORIES (MCW) This portfolio is a game ch nnected within 30 feet.	anger, giving you th	ne flexibility															
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	RANGE (FEET LINE OF SIGHT)	IP RATING*	INTRINSIC SAFETY RATING ²	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND TRANSPORTATION
APX 7000 SERIES APX 7000XE SERIES	53	Mission Critical Wireless Earpiece with 12" cable and push-to-talk pod	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•	•
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		Mission Critical Wireless push-to-talk pod	NTN2571	N/A	N/A	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•	•
SRX 2200 SERIES	©/8/3/5	Mission Critical Wireless Remote Control Keyfob with programmable buttons	NNTN8442	N/A	N/A	•	10	3	26	67 x 32 x 16	30	IP54		•			•		

¹ These are recommended uses based on typical use case for each market listed.


EARPIECE TYPE: Choose the right fit for your operations — a simple, low cost, discreet earbud or the rugged, high performance CommPort™ style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort™ style earpiece is ideal for lower noise environments.

² Accessory solution is FM certified when used with an FM certified radio system and FM certified adapter if required.

^{*} International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

OMPATIBILIT	Y A	CCESSORY			FEATURES		
MISSION Coremove the	CRITICAL W e radio from y	IRELESS ACCI	ESSORIES This portfolio is a game changer, giv connected within 30 feet.	ing you the flexibi	lity		
ORTABLE RADIO		CESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
			1- Wire Surveillance kit with Translucent Acoustic tube for Wireless PTT Pods	PMLN7052	Clear Rubber Eartip	In-line	On Pod, ordered separately
			1- Wire Earbud for Wireless Push-to-Talk pod with 11.5" cable, Black	NNTN8294	Earbud	In-line	On Pod, ordered separately
		C.	1- Wire Earbud for Wireless Push-to-Talk pod with 45" cable, Black	NNTN8295	Earbud	In-line	On Pod, ordered separately
	(Covert Audio Kit for Mission Critical Wireless PTT Pod	NNTN8296	1 earbud and 2 earbud headsets	In-line	On Pod, ordered separately
APX SERII		101	Y-Adapter and Retention Hook for Mission Critical Wireless Push-to-Talk Pod	NNTN8385		Directional, on separate wire	On Pod, ordered separately
APX:	7000XE		Neckloop for Discreet Earpiece Kit	RLN4920			
SERII		E.	Accessory Kit, Completely Discreet Wireless Surveillance Kit	NNTN8434			
APX			Commercial 3.5 Earbud Headset Adapter, 10 per pack	NNTN8737			
SERII	ES (1	Replacement Wireless Earpiece 12 inch cable	NTN2572	Over-the-Ear (CommPort™)	Directional above the ear comport mic	On Pod, ordered separately
APX (SERII	6000XE ES		Mission Critical Wireless Covert Pack-N-Go Kit, Basic. Kit includes: NNTN8296 Basic Mission Critical Wireless Covert Kit, NTN2571 Mission Critical Wireless Push- to-Talk (PTT) Pod and NNTN8442 Mission Critical Wireless Remote Control Unit	RLN6489	Earbud and earbud headset	On Y-Adapter or in-line on earbuds	On PTT and MC Keyfob
APX SERII		(C)	Mission Critical Wireless Covert Pack-N-Go Kit, Advanced. Kit includes: All contents of Covert Pack-n-Go Kit plus RLN4922 Completely Discreet Earpiece Kit and NNTN8385 Wireless Neckloop Y-adapter	RLN6501	Completely Discreet Earpiece, earbud and earbud headset	On Y-Adapter or in-line on earbuds	On PTT and MO Keyfob
APX : SERII		(4)	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for NTN2572 Over-the-Ear earpiece	NTN8821	Over-the-Ear (CommPort™)		
SRX 2	2200	oocooda o	Ear strap for CommPort™ earpiece to secure earpiece to ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
SERII	ES		Eartubes for CommPort™ earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort™)		
			Replacement ear tips kit for wireless ear buds (20 Small, 20 Medium, 20 Large and 10 clips)	NNTN8361	Earbud		
			Replacement Swivel Clip for Wireless PTT Pod	PMLN6246			
			Replacement or spare micro-usb plug-in charger (US)	PMPN4027			





WHAT MAKES THE COVERT PACK-AND-GO KIT A MUST-HAVE?

Organize and stow all your APX wireless accessories on the go, all in one place. Keep this durable kit in a backpack or messenger bag and you'll always have the right accessories on hand. With a dozen secure straps and deep mesh pockets, you can access exactly what you need when an operation happens.

MPATIBILITY	ACCESSORY	TERIES The only batteries developed, tested a	and cortified for con	FEATURES	nee with your	APY radio					
X batteries are Pr	roven Tough, in lab test a	after lab test, to withstand shocks, knocks, drop	and certified for opi is and shakes and c	umai performa outperform the	other brands.						
RTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
	J	IMPRES Li-lon 2200 mAh Slim, Submersible Battery-IP67	PMNN4403	•	Li-lon	2200	10.5	86 x 59 x 37	142		♦ IP
		IMPRES Li-Ion 3100 mAh Submersible Battery-IP67	NNTN7038	•	Li-lon	3100	14	86 x 59 x 42	185		♦ IP
APX 7000 SERIES		IMPRES Li-Ion 2350 mAh, Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN8092	•	Li-lon	2350	11	86 x 59 x 42	160	FM	♦ IP
APX 7000XE SERIES	1	IMPRES Li-lon 4400 mAh -30°C Rated Submersible, Rugged Battery-IP68	NNTN7034	•	Li-lon	4400	20.5	130 x 59 x 42	285		▲ IP€
APX 6000	1	IMPRES Li-lon 4300 mAh Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN7033	•	Li-lon	4300	19.5	130 x 59 x 42	285	FM	♦ IP6
SERIES	1	IMPRES NiMH 2300 mAh, Submersible Battery-IP67	NNTN7037	•	NiMH	2300	10.5	136 x 59 x 40	335		♦ IP(
APX 6000XE SERIES	1	IMPRES NiMH 2300 mAh, Submersible Rugged Battery-IP68	NNTN7573	•	NiMH	2300	10.5	136 x 59 x 40	335		♦ IP€
SRX 2200 SERIES	1	IMPRES NiMH 2200 mAh Intrinsically Safe - FM, Submersible Battery-IP67	NNTN7036	•	NiMH	2200	10.5	136 x 59 x 40	335	FM	♦ IP6
	1	IMPRES NiMH 2200 mAh Intrinsically Safe - FM, Submersible Rugged Battery-IP68	NNTN7035	•	NiMH	2200	10.5	136 x 59 x 40	335	FM	♦ IP6
	ı	APX Clamshell Battery Pack (requires 12 AA Alkaline batteries, not included), Submersible Battery-IP57	PMNN4439		AA Alkaline/ Li-lon	Alkaline: 2700 Li-lon: 6100	Alkaline: 12 Li-lon: 27	165 x 60 x 60	Alkaline: 47 Li-lon: 380	6	♦ IPE
SRX 2200 SERIES	1	Military, Li-Ion 3100 mAh, Submersible, Rugged Battery-IP68, Coyote Brown	NNTN8182		Li-lon	3100	14	86 x 59 x 42	185		♦ IP

HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY? They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery — a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery. YOUR BATTERY. SAFER, STRONGER, POWERED FOR LONGER.

^{*} International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

[†] UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 4000 two knob radio




COMPATIBILITY	ACCESSORY			FEATURES							
		TERIES The only batteries developed, tested a ter lab test, to withstand shocks, knocks, drop				APX radio.					
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING*
A DV 4000		IMPRES Li-lon 2000 mAh Slim, Submersible, Battery-IP67	NNTN8128	•	Li-lon	2000	8.5	115 x 52 x 18	160		♦ IP67
APX 4000 SERIES		APX 4000 two knob radio IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57), Intrinsically Safe (TIA4950)	NNTN8560	•	Li-lon	2500	11	113 x 52 x 23	195	TΙΑ [†]	♦ IP57
APX 3000 SERIES		IMPRES Li-lon 2350 mAh Submersible, Battery-IP67	PMNN4424	•	Li-lon	2350	10.5	115 x 52 x 23	170		♦ IP67
APX 1000 SERIES		IMPRES Li-Ion 2800 mAh Submersible, Battery-IP67	PMNN4448	•	Li-lon	2800	13	115 x 52 x 23	170		♦ IP67
_		IMPRES Li-Ion 2350 mAh Intrinsically Safe - FM, Submersible, Battery-IP67	NNTN8129	•	Li-lon	2350	10.5	115 x 52 x 23	170	FM	♦ IP67
APX 3000 SERIES		IMPRES Li-lon 1300 mAh Slim, Submersible, Battery-IP67	NNTN8305	•	Li-lon	1300	6	115 x 52 x 14	98		♦ IP67

KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.


If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See www.motorolasolutions.com/proventough for details.



 38

MPATIBILITY	ACCESSORY			FEATURES							
HARGER SOLUT nd be confident you	HONS Choose from a va ur radio is charged and re	riety of solutions including single-unit, unique d eady to go the moment you need it.	ual-unit, multi-uni	t, travel and v	ehicular charge	rs					
RTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NI DI:
ESKTOP, SINGL	E AND MULTI-UNIT	CHARGERS									
X 7000 SERIES X 7000XE SERIES X 6000 SERIES X 6000XE SERIES X 2200 SERIES		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN7080	•	Li-lon, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
X 4000 SERIES X 3000 SERIES X 1000 SERIES		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN4232	•	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
		IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 120V (US plug)	NNTN7593	•	Li-Ion, NiMH	120VAC	64 x 142 x 208	2	•	Rapid Rate	
PX 7000 SERIES PX 7000XE SERIES PX 6000 SERIES		IMPRES Dual-Unit Rapid Rate Charger, 120V (US plug)	NNTN7586	•	Li-Ion, NiMH	120VAC	64 x 142 x 208	2	•	Rapid Rate	
PX 6000 SERIES RX 2200 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)	NNTN7073	•	Li-lon, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US plug)	NNTN7065	•	Li-lon, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
PX 4000 SERIES	DDDDDD	IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)	WPLN4219	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
PX 1000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US plug)	WPLN4212	•	Li-lon, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
RX 2200 SERIES		Military, IMPRES Multi-Unit Rapid Rate, Charger, 120V (US Plug) with Pocket Inserts	NNTN8185	•	Li-lon, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
EHICULAR, TRA	VEL CHARGERS AND	VEHICULAR ADAPTER (VA)									
X 7000 SERIES X 7000XE SERIES X 6000 SERIES X 6000XE SERIES X 2200 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7624	•	Li-lon, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate	
X 4000 SERIES X 3000 SERIES X 1000 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7616	•	Li-lon, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate	
X 7000 SERIES X 7000XE SERIES X 6000 SERIES X 6000XE SERIES X 2200 SERIES	Į.	Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	RLN6434		Li-Ion, NiMH	12VDC cigarette lighter adapter	67 x 67 x 70	1			
X 4000 SERIES X 3000 SERIES X 1000 SERIES		Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	NNTN8525		Li-Ion, NiMH	12VDC cigarette lighter adapter	64 x 67 x 57	1			
X 6000 SERIES X 6000XE SERIES X 2200 SERIES IF IS NOT		APX Vehicular Adapter includes fused power cable, 2 keys for the lock, screws for attaching VA to the trunnion & quick start guide. Trunnion mounting bracket NTN8940 must be ordered separately.	NNTN8527*		Li-lon		254 x 137 x 84	1		Rapid Rate	
PPORTED		Trunnion Mounting Bracket	NTN8940								



IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES Display chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for **four years** – twice as long as most leading competitive batteries.

NUMBER OF POCKETS: APX multi-unit chargers let you simultaneously charge up to 6 radios and/or batteries.

^{*}Radios require firmware version, R13.00.00 or later. Not compatible with VHF radios.

CHARGER SOLUT	IONS		
PX PORTABLE RADIOS	CHARGER ACCESSORIES	DESCRIPTION	PART NUMBER
INGLE AND MUL	TI-UNIT CHARGER	ACCESSORIES	
PX 7000 SERIES PX 7000XE SERIES PX 6000 SERIES PX 6000XE SERIES	46	Display Module for IMPRES Multi-Unit Charger	RLN5382
PX 4000 SERIES PX 3000 SERIES PX 1000 SERIES RX 2200 SERIES	1111 9999	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967
PX 7000 SERIES PX 7000XE SERIES		Insert for WPLN4108/4130 XTS Multi-Unit Charger (6 per pack)	NNTN7686
APX 6000 SERIES APX 6000XE SERIES ARX 2200 SERIES		Insert for NTN1873/WPLN4111 XTS Single-Unit Charger	NNTN7687
APX 3000 SERIES		Insert for WPLN4108/4130 XTS Multi-Unit Charger (6 per pack)	NNTN8170
APX 4000 SERIES APX 1000 SERIES		Insert for NTN1873/WPLN4111 XTS Single-Unit Charger	NNTN8169
MPRES BATTERY	MANAGEMENT TO	OOLS	
		IMPRES Battery Reader	NNTN7392
APX 7000 SERIES APX 7000XE SERIES	Ō	IMPRES Battery Fleet Management Software (http://www.motorolasolutions.com/US-EN/Business+Product+and+Services/Accessories/Two-Way+Radio+Accessories/Batteries/IMPRES)	NNTN7676
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES		IMPRES Battery Fleet Management License Key	HKVN4036
APX 1000 SERIES SRX 2200 SERIES	9	IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677
		IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045
EYLOAD CABLES	5		
IPX 7000 SERIES IPX 7000XE SERIES IPX 6000 SERIES IPX 6000XE SERIES IPX 4000 SERIES IPX 3000 SERIES		Keyloader Cable, KVL3000 & KVL4000	WPLN6904



CARRY SOLUTIONS

Motorola Carry Solutions were developed to meet the demands of public safety and other users who operate in the most rigorous of environments. A variety of carrying accessories are available for comfort and convenience.

LEATHER CARRY CASES

Motorola Leather Carry Cases constructed of top-grain leather are designed to withstand the harsh conditions of public safety users.

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION Our carry accessorie	IS Carry cases and hold s keep your hands-free,	ers are available in sizes designed to fit your rasso you can concentrate on the task at hand.	adio and battery ar	d permit audio to	be heard clea	arly.	
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS
APX 7000 SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed	
APX 7000XE SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios only	PMLN6102	Plastic	3	Fixed	
APX 6000 SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5709	Plastic	2.5	Fixed	
APX 6000XE SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5880	Plastic	3	Fixed	
APX 3000 SERIES	1	Covert Carry Holster	PMLN6327	Plastic	3	Fixed	
		Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5323	Hard Leather	3	Fixed	•
APX 7000		Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5326	Hard Leather	3	Fixed	•
SERIES		Leather Carry Case with 3" Fixed Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5329	Hard Leather	3	Fixed	•
	107.1 × 107.1 × 107.1 × 107.1 × 107.1 × 107.1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5324	Hard Leather	2.75	Swivel	•

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION	NS .						
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RI
1		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5327	Hard Leather	2.75	Swivel	
APX 7000 SERIES		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5330	Hard Leather	2.75	Swivel	
	W	Dual Display Radio Flip Leather Carry Case with 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5560	Hard Leather	2.75	Swivel	
APX 7000XE SERIES APX 6000XE SERIES APX 7000 SERIES APX 6000 SERIES		Molded Nylon carry case with quick disconnect swivel and adjustable lanyard	PMLN6802	Nylon		Swivel	
1		Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	NNTN8112	Hard Leather	3	Fixed	
APX 7000XE SERIES		Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	NNTN8114	Hard Leather	3	Fixed	
	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	NNTN8116	Hard Leather	3	Fixed	

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

COMPA	TIBILITY	ACCESSORY			FEATURES			
CARR	Y SOLUTION	IS						
PORTABL	LE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS
		7	Leather Carry Case and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	NNTN8111	Hard Leather	2.75	Swivel	
	APX 7000XE		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	NNTN8113	Hard Leather	2.75	Swivel	•
	SERIES		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	NNTN8115	Hard Leather	2.75	Swivel	•
		7	Boston Leather Carry Case with D Rings – Requires an Audio Accessory, Radio strap holds down radio by strapping over the Audio Accessory connector, used with Boston Leather radio straps	AY000222A01	Hard Leather			•
			Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5658	Hard Leather	3	Fixed	•
	APX 6000	-	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5660	Hard Leather	3	Fixed	•
	SERIES	*	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5657	Hard Leather	2.75	Swivel	•
		4	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5659	Hard Leather	2.75	Swivel	•
		Ť	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5876	Hard Leather	3	Fixed	•
با	APX 6000XE		Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5879	Hard Leather	3	Fixed	•
	SERIES		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5875	Hard Leather	2.75	Swivel	•
			Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5877	Hard Leather	2.75	Swivel	•
	APX 4000		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel	
	SERIES APX 1000	T	Carry case for APX 4000 two knob radios	PMLN7182	Hard Leather	2.5	Swivel	•
	SERIES		Replacement belt loop for PMLN7182	PMLN7229				
è	SRX 2200 SERIES	D'a	Nylon, Coyote brown carry pouch designed to fit with the elite special ops "MOLLE" vest (sold separately)	NNTN8269	Nylon	Up to 5	Fixed	
	JLIIILO		Coyote Brown Carry Case	RLN6253	Nylon	Up to 5	Fixed	



COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION	IS						
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS
		Nylon Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5322	Nylon	3	Fixed	•
APX 7000	Î	Nylon Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5325	Nylon	3	Fixed	•
SERIES	Ť	Nylon Carry Case with 3" Fixed Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5328	Nylon	3	Fixed	•
		Carry Case for APX Radio with Clamshell Battery	PMLN6712	Nylon	Up to 5	Fixed	•
		2.5" Hard Plastic Belt Clip (not compatible with UHF Portable Radios)	NTN8266	Plastic	2.5		
		3" Hard Plastic Belt Clip	HLN6875	Plastic	3		
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	M	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	Nylon			
	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	Nylon			
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	Nylon			
APX 4000 SERIES	•	2" Hard Plastic Belt Clip	PMLN4651	Plastic	2		
APX 1000 SERIES		2.5" Hard Plastic Belt Clip	PMLN7008	Plastic	2.5		
APX 7000 SERIES		Replacement 2.5" Leather Swivel Belt Loop	PMLN5407	Hard Leather	2.5	Swivel	
APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES		Replacement 2.75" Leather Swivel Belt Loop	PMLN5408	Hard Leather	2.75	Swivel	
APX 1000 SERIES		Replacement 3" Leather Swivel Belt Loop	PMLN5409	Hard Leather	3	Swivel	



COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION	S						
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS
APX 7000 SERIES		Replacement Carry Case Strap with Snaps, Long. Used with NNTN8111, NNTN8112, NNTN8113, NNTN8114, NNTN8115 & NNTN8116	PMLN5800	Leather			
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES	(th)	1.75" Wide Leather Belt	4200865599	Leather			
APX 6000XE SERIES APX 4000 SERIES SRX 2200 SERIES		Adjustable Nylon Carrying Strap	NTN5243	Nylon			
APX 7000 SERIES		Boston Leather Fireman's Radio Strap	RLN6486	Leather			
APX 7000 SERIES APX 7000XE SERIES		Boston Leather Fireman's Radio Strap - XL	RLN6487	Leather			
APX 6000 SERIES APX 6000XE SERIES		Boston Leather Fireman's Radio Strap with button back holder	AY000223A01	Leather			
APX 4000 SERIES APX 3000 SERIES		Boston Leather Fireman's Radio Strap with button back holder - XL	AY000229A01	Leather			
SRX 2200 SERIES	Ober	Boston Leather Anti-Sway Strap for Boston Leather Fireman's Radio Strap	RLN6488	Leather			

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	•	20	Whip
APX 4000 SERIES APX 3000 SERIES APX 1000 SERIES SRX 2200 SERIES		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	•	14.2	Whip
APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 3000 SERIES APX 1000 SERIES SRX 2200 SERIES	/	VHF, GPS Whip Antenna	NAR6593	VHF	136-174	•	20	Whip
APX 4000 SERIES		900 MHz, GPS Antenna	PMAF4008	800/900	896-941	•	6	Whip
APX 7000 SERIES APX 6000 SERIES APX 6000XE SERIES APX 4000 SERIES APX 1000 SERIES		1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	•	9.8	Stubby
APX 6000 SERIES APX 6000XE SERIES		UHF Range 1, GPS Stubby Antenna	FAF5259	UHF	380-470	•	9.3	Stubby
APX 4000 SERIES APX 1000 SERIES		UHF Range 2, GPS Stubby Antenna	FAF5260	UHF	470-520	•	9.3	Stubby
APX 7000 SERIES	/	VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF, 700/800	136-174; 764-870	•	20	Whip
Ī		VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF, UHF	136-174; 380-520	•	21.8	Whip
APX 7000XE SERIES		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001	UHF, 700/800	380-520; 764-870	•	19.7	Whip
APX 7000 SERIES (700/800 MHz only)		GPS Antenna (Directly connected to radio when a public safety microphone is used)	NAG4000	700/800		•	7	Stubby
APX 6000 SERIES (700/800 MHz only)		700/800 Public Safety Microphone Only Stubby Antenna	PMAF4002	700/800	764-870		9	Stubby
		Flexible Antenna, 700/800 MHz Includes one flexible antenna spacer	PMAF4006	700/800	764-870	•	41	Flexible
APX 3000 SERIES		Flexible Antenna, UHF Includes three flexible antenna spacers	PMAE4080	UHF	308-470	•	77	Flexible
	1 '	Flexible Antenna, VHF Includes two flexible antenna spacers	PMAD4125	VHF	136-174		44	Flexible
PROGRAMMING (CABLES							
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		Programming and Test Cable	PMKN4013					
APX 4000 SERIES APX 3000 SERIES APX 1000 SERIES SRX 2200 SERIES	O	Programming Cable	PMKN4012					



APX MOBILE RADIOS ACCESSORIES



APX 7500 WITH 05 CONTROL HEAD



APX 6500 WITH 05 CONTROL HEAD



APX 4500 WITH 02 CONTROL HEAD



APX 1500 WITH 02 CONTROL HEAD

COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO

You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is best-in-class technology, designed and optimized specifically for your APX mobile. There's simply no substitute for APX accessories.

		econds without having to worry about the wires belt. Work, safer, smarter and more comfortable	
PX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER
APX 7500 SERIES APX 6500 SERIES		Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Vehicular Charger (PMMN6716)	RLN6551
APX 4500 SERIES APX 1500 SERIES		Long Range Wireless Mobile Accessory Kit (No Power Charger), includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Charger must be purchased separately	RLN6552
CCESSORIES AN	ID REPLACEMENT I	PARTS	
		Dual Unit Charger,rapid rate charger, 120V (US Plug)	PMLN7120
		Vehicular Charger	PMLN6716
		Wireless RSM with Battery and Clip	RLN6544
APX 7500 SERIES		Mobile Microphone with Bluetooth Gateway	PMMN4097
APX 6500 SERIES		Wireless RSM Battery, 1750mA Lilon	PMNN4461
APX 4500 SERIES		D Ring Swivel Clip (12 pack)	NNTN4990
APX 1500 SERIES	4	Receive-Only Earpiece with Comfort Eartube, FM approved	RLN4941†
		Receive-Only Earpbud, Single Wire, Threaded 3.5 mm connector	BDN6781
	0	Receive-Only Earbud, FM approved	AARLN4885†
	466		RLN6511







EP7 Sonic Defender, use with RLN4941

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES A numbers and send te	ccess critical features d xt messages. Three prog	lirectly on the Keypad microphone. Navigation grammable buttons are available for additional	al buttons and a ful customization.	ll keypad allow users to navigate rad	o menus, dial phone
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
	9	Keypad Microphone	HMN4079	Keypad + Navigation	
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	Ob	Standard Palm Microphone	HMN1090	Standard	
	5	Water Resistant Palm Microphone	HMN1089	Standard	
APX 7500 SERIES	3	Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
		Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
APX 7500 SERIES	7	Hang-Up Handset with Armored Cable	HKN1018	Telephone	
APX 6500 SERIES	7	Handset with Hang-Up Cup	HLN1457	Telephone	
APX 4500 SERIES	1	Desktop Microphone	RMN5070	Desktop	
APX 1500 SERIES	40	IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	•



IMPRES™ AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola's exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user's voice consistently to the receiving user regardless of how close they are speaking into the microphone.

COMPATIBILITY	ACCESSORY		
MOBILE MICROP	PHONE ACCESSORIES		
MOBILE RADIOS	MOBILE MICROPHONE Accessories	DESCRIPTION	PART NUMBER
		Microphone Hang-Up Clip	HLN5391
		Microphone Extension Cable, 2-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4093
	R	Microphone Extension Cable, 10-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4033
APX 7500 SERIES APX 6500 SERIES		Microphone Extension Cable, 20-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4034
APX 4500 SERIES		Emergency Push Button, can be used with the Visor Microphone	HLN5131
APX 1500 SERIES	0	Emergency Footswitch, can be used with the Visor Microphone	HLN5113
		Footswitch Push-To-Talk, can be used with the Visor Microphone	GLN7278
	83	Push Button Push-To-Talk, can be used with the Visor Microphone	RLN5926
		Replacement Cable for HMN4079	3075336B10
CONTROL STATIO	ON ACCESSORIES		
		Desktop Tray with Speaker	HLN6042
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	B	Power Supply, 25-60W, for low power radios (cord included)	HPN4007
		110V Line Cord, Replacement Cable for HPN4007	3060665A04



COMPATIBILITY	ACCESSORY		
compromising safety.	Trunnion kits give you the	SSORIES Mount your radio in your vehicle flexibility to mount the radio under your dant kits allow the radio to be mounted in the f	sh, in your dash,
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER
		High Power Trunnion Kit; Quick Release with Lock	HLN7003
APX 7500 SERIES	St. Co.	Mid Power Trunnion Kit; Standard Installation Bracket	HLN7002
APX 6500 SERIES		Mid Power Trunnion Lock	HLN6372
APX 4500 SERIES		Remote Mount Control Head Trunnion Compatible with 02/05 and 07 control heads.	HKN6186
APX 1500 SERIES		Low Profile Remote Mount Control Head Trunnion Kit	HLN7031
	· mercanica	Motorcycle Enclosure, Black	HLN7022

COMPATIBILITY	ACCESSORY		
	M ACCESSORIES Exter l accessories are attache	rnal alarm accessories enable addition d.	nal switching
MOBILE RADIOS	EXTERNAL ALARM ACCESSORIES	DESCRIPTION	PART NUMBER
APX 7500 SERIES APX 6500 SERIES		External Alarm Buzzer	HLN6953
APX 4500 SERIES APX 1500 SERIES		External Alarm Relays	HLN6969



external speakers.	2000: 4440	our control station on your desk or in your veh	iicie witti
MOBILE RADIOS	SPEAKERS AND SIRENS	DESCRIPTION	PART NUMBER
	•	Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio	HSN4038
		Remote Mount, Water Resistant Speaker, 15 Watt Rated Audio	HSN4040
ADV TEM CEDIFO		Water Resistant Speaker, 13 Watt Rated Audio	HSN4018
APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Non-Water Resistant Speaker, 13 Watt Rated Audio	HSN4032
		Siren Speaker, Round with Chrome Finish	TDN6251
		Siren Speaker, Rectangular with White Finish	TDN6252
		Siren Speaker, Round with Grey Finish	TDN6254
		Siren Speaker, Under Hood with Grey Finish	TDN6253
REPLACEMENT S	IREN ACCESSORIES		
APX 7500 SERIES APX 6500 SERIES		Status/Message Direct Entry Keypad, 8 Buttons	H1338
APX 4500 SERIES APX 1500 SERIES		Mobile Siren	HLN1439





COMPATIBILITY	ACCESSORY		
SIREN ACCESSOR	IES		
MOBILE RADIOS	SIREN ACCESSORIES	DESCRIPTION	PART NUMBER
	\$ 10 0 C	Siren Switchbox	HLN6819
APX 7500 SERIES APX 6500 SERIES		Mode Direct Entry Keypad, 8-Buttons	H1615
APX 4500 SERIES		Siren Cable, 03 Siren to Switchbox	HKN6146
APX 1500 SERIES		Siren Cable, Direct Keypad for O3 Control Head	HKN6145



COMPATIBILITY	ACCESSORY			
SIREN ACCESSOR	IES			
MOBILE RADIOS	SIREN ACCESSORIES	DESCRIPTION	PART NUMBER	
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	U	Direct Entry Keypad Cable, DEK to 05 Control Head, rear connector	HKN6189	
		Siren Cable, 05 Siren to Switchbox	HKN4363	
UNIVERSAL RELAY	CONTROLLER			
APX 7500 SERIES APX 6500 SERIES	From sur-	Universal Relay Controller for 09 Control Head, 10 DC Outputs, 15 Amps per Channel	PMUN1046	
APX 4500 SERIES APX 1500 SERIES		Universal Relay Controller to Transceiver Cable	3064153H05	




COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
CONTROL HEAD C	ABLES		
	O	O3 Handheld Control Head Extension Cable, 17-Feet	PMLN4958
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	0	O3 Handheld Control Head Accessory Cable	PMLN4959
		Control Head Cable with Connections for Power, Speaker and Headset Jack	HKN6187
		Control Head Cable with Connections for Power and Speaker	HKN6188
REMOTE MOUNT	CABLES		
	_	Remote Mount Cable, 131-Feet	HKN6164
	_	Remote Mount Cable, 115-Feet	HKN6165
		Remote Mount Cable, 75-Feet	HKN6166
APX 7500 SERIES		Remote Mount Cable, 50-Feet	HKN6167
APX 6500 SERIES	• 6	Remote Mount Cable, 30-Feet	HKN6168
APX 4500 SERIES	_	Remote Mount Cable, 17-Feet	HKN6169
APX 1500 SERIES		Remote Mount Cable, 10-Feet	HKN6170
		Cable, Remote Control Head Vehicular Interface Port Connector for O5 Control Head	HKN6196
		Cable, Remote Control Head Mobile Accessory Port Connector for O5 Control Head	HKN6961
APX 7500 SERIES	O	Motorcycle Remote Cable for O5 Control Head	3075217A02



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
POWER CABLES			
		Mid Power, Dash Mount Power Cable, 10-Feet	HKN4191
APX 7500 SERIES		Mid Power, Remote Mount Power Cable, 20-Feet	HKN4192
APX 6500 SERIES		Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
APX 4500 SERIES	Ö	High Power, Remote Mount Power Cable 20-Feet	HKN6110
APX 1500 SERIES	O	Motorcycle Power Cable	HKN6032
DATA CABLES			
		RS232 Cable for Rear Accessory Port, Dash Mount Only, 6-Feet	HKN6160
APX 7500 SERIES APX 6500 SERIES		RS232 Cable for Rear Accessory Port, Remote Mount Only, 20-Feet	HKN6161
APX 4500 SERIES APX 1500 SERIES	0	RS232 Cable for Mobile Microphone Port	HKN6183
	0	RS232 Cable for J600 Transceiver Interconnect Board, 22-Feet	HKN6122
KEYLOAD CABLES	S		
APX 7500 SERIES APX 6500 SERIES		Keyloader Cable, KVL3000 and KVL4000	TKN8531
APX 4500 SERIES APX 1500 SERIES	1	Keyload Adapter for Mobile Microphone Port	HKN6182
PROGRAMMING	CABLES		
APX 7500 SERIES APX 6500 SERIES	06	USB Cable, Rear Accessory Port, Remote Mount, 15-Feet (for use with customer program software)	HKN6172
APX 4500 SERIES APX 1500 SERIES		USB Cable, Rear Accessory Port, Dash Mount, 6-Feet (for use with customer program software)	HKN6163
APX 7500 SERIES APX 6500 SERIES		Programming Cable	HKN6184





COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A var	riety of antennas ensure th	e best possible reception wherever you oper	ate. Choose from a	ntennas with integra	ted GPS to standalo	one RF antennas.	
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE	
VHF ANTENNAS (RF ONLY)							
		VHF 1/4 Wave Antenna, 136-144 MHz	HAD4006	VHF	136-144	Through-hole	
APX 7500 SERIES APX 6500 SERIES		VHF 1/4 Wave Antenna, 144-150.8 MHz	HAD4007	VHF	144-150.8	Through-hole	
APX 4500 SERIES	8	VHF 1/4 Wave Antenna, 150.8-162 MHz	HAD4008	VHF	150.8-162	Through-hole	
APX 1500 SERIES		VHF 1/4 Wave Antenna, 162-174 MHz	HAD4009	VHF	162-174	Through-hole	

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

COMPATIBILITY ANTENNAS	ACCESSORY			FEATURES		
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS	(RF ONLY)					
		VHF 1/4 Wave Antenna, 136-162 MHz	HAD4016	VHF	136-162	Through-hole
APX 7500 SERIES	APX 7500 SERIES APX 6500 SERIES	VHF 1/4 Wave Antenna, 146-174 MHz	HAD4017	VHF	146-174	Through-hole
APX 6500 SERIES		VHF Wideband Antenna, 136-174 MHz	HAD4021	VHF	136-174	Through-hole
APX 4500 SERIES APX 1500 SERIES	VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	HAD4022	VHF	136-174	Through-hole	
		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	RAD4010ARB	VHF	136-174	Through-hole

P best possible reception wherever you operate DESCRIPTION VHF 1/4 Wave Antenna, 136-144 MHz VHF 1/4 Wave Antenna, 144-150.8 MHz VHF 1/4 Wave Antenna, 150.8-162 MHz	PART NUMBER RAD4002ARB RAD4003ARB	UHF/VHF/ (800/900 MHz) VHF	FREQUENCY BAND (MHz) 136-144	MOUNTING STYLE Motorcycle
VHF 1/4 Wave Antenna, 136-144 MHz VHF 1/4 Wave Antenna, 144-150.8 MHz	RAD4002ARB	(800/900 MHz)	136-144	STYLE
VHF 1/4 Wave Antenna, 144-150.8 MHz				Motorcycle
VHF 1/4 Wave Antenna, 144-150.8 MHz				Motorcycle
	RAD4003ARB	VHF	144-150 8	
VHF 1/4 Wave Antenna 150 8-162 MHz				Motorcycle
,	RAD4004ARB	VHF	150.8-162	Motorcycle
VHF 1/4 Wave Antenna, 162-174 MHz	RAD4005ARB	VHF	162-174	Motorcycle
UHF 1/4 Wave Antenna, 380-433 MHz	HAE6012	UHF	380-433	Through-hole
UHF 1/4 Wave Antenna, 450-470 MHz	HAE4003	UHF	450-470	Through-hole
UHF 1/4 Wave Antenna, 450-470 MHz	HAE4004	UHF	450-470	Through-hole
UHF 3 dB Gain Antenna, 450-495 MHz	HAE4012	UHF	450-495	Through-hole
UHF 3 dB Gain Antenna, 494-512 MHz	HAE4013	UHF	494-512	Through-hole
	HAE6010			
	UHF 1/4 Wave Antenna, 450-470 MHz UHF 1/4 Wave Antenna, 450-470 MHz UHF 3 dB Gain Antenna, 450-495 MHz	UHF 1/4 Wave Antenna, 450-470 MHz HAE4003 UHF 1/4 Wave Antenna, 450-470 MHz HAE4004 UHF 3 dB Gain Antenna, 450-495 MHz HAE4012	UHF 1/4 Wave Antenna, 450-470 MHz HAE4003 UHF UHF 1/4 Wave Antenna, 450-470 MHz HAE4004 UHF UHF 3 dB Gain Antenna, 450-495 MHz HAE4012 UHF	UHF 1/4 Wave Antenna, 450-470 MHz HAE4003 UHF 450-470 UHF 1/4 Wave Antenna, 450-470 MHz HAE4004 UHF 450-470 UHF 450-470 UHF 450-470

COMPATIBILITY ANTENNAS	ACCESSORY			FEATURES		
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS ((RF ONLY)					
		UHF 3.5 dB Gain Antenna, 450-470 MHz	HAE4011	UHF	450-470	Through-hole
		UHF 5 dB Gain Antenna, 380-433 MHz	HAE6011	UHF	380-433	Through-hole
		UHF 5 dB Gain Antenna, 455-470 MHz	RAE4014ARB	UHF	455-470	Through-hole
APX 7500 SERIES APX 6500 SERIES		UHF 5 dB Gain Antenna, 494-512 MHz	RAE4016ARB	UHF	494-512	Through-hole
APX 4500 SERIES		UHF 2 dB Gain Wideband Antenna, 380-470 MHz	HAE6013	UHF	380-470	Through-hole
APX 1500 SERIES		UHF 2 dB Gain Wideband Antenna, 450-512 MHz	HAE6015	UHF	450-512	Through-hole
	*	UHF 2 dB Gain Wideband Antenna, 380-520 MHz	HAE6031	UHF	380-520	Through-hole
		UHF Wideband Low Profile Antenna, 450-512 MHz	HAE6016	UHF	450-512	Through-hole
	Î	UHF 1/4 Wave Antenna, 380-433 MHz	HAE6014	UHF	380-433	Motorcycle
APX 7500 SERIES		UHF 1/4 Wave Antenna, 425-470 MHz	HAE6032	UHF	425-470	Motorcycle

COMPATIBILITY ANTENNAS A vari	ACCESSORY etv of antennas ensure t	the best possible reception wherever you oper	ate. Choose from a	FEATURES	rated GPS to standa	one RF antennas
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS	(RF ONLY)					
	ı	UHF 1/4 Wave Antenna, 450-482 MHz	HAE6033	UHF	450-482	Motorcycle
APX 7500 SERIES		UHF 1/4 Wave Antenna, 482-512 MHz	HAE6034	UHF	482-512	Motorcycle
	•	UHF 1/4 Wave Low Profile Antenna, 450-512 MHz	HAE6035	UHF	450-512	Motorcycle
700/800 MHZ ANT	ENNAS (RF ONLY)					
	© memor	1/4 Wave Antenna, 762-870 MHz	HAF4016	700/800	762-870	Through-hole
APX 6500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		3 dB Gain Low Profile Antenna, 762-870 MHz	HAF4013	700/800	762-870	Through-hole
		3 dB Gain Elevated Feed Antenna, 762-870 MHz	HAF4014	700/800	762-870	Through-hole
	THIRTH GE	3 dB Gain Collinear Antenna, 762-870 MHz	HAF4017	700/800	762-870	Through-hole

COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
700/800 MHZ AN	TENNAS (RF ONLY)					
		3 dB Gain Antenna, 762-870 MHz	HAF4015	700/800	762-870	Motorcycle
APX 7500 SERIES	•	Low Profile Antenna, 762-780 MHz	HAF4018	700/800	762-870	Motorcycle
GPS ANTENNAS				ı		
APX 7500 SERIES APX 6500 SERIES		GPS Roof Mount Antenna SMA Male connector with RG-174 17ft cable	HAG4000	GPS Only		Roof Mount
APX 4500 SERIES APX 1500 SERIES		GPS Glass Mount Antenna SMA Male connector with RG-174 17ft cable	PMAN4001	GPS Only		Glass Mount
APX 7500 SERIES	9	GPS Motorcycle Antenna	HAG4001	GPS Only		Motorcycle









For more information on Motorola mission critical accessories, visit **motorolasolutions.com/apx**.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. **motorolasolutions.com**

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2015 Motorola Solutions, Inc. All rights reserved. 09-2015

