



APX RADIO ACCESSORIES


RESILIENCE WITHOUT COMPROMISE





TABLE OF CONTENTS

APX PORTABLE RADIO ACCESSORIES	5	APX MOBILE RADIO ACCESSORIES	59
XE500 Remote Speaker Microphones (RSM)	6	Long Range Wireless Mobile Accessory Kits	60
Remote Speaker Microphones (RSM)	8	Long Range Wireless Accessories and Replacement Parts	60
XE RSM Accessories and Replacement Parts	12	Mobile Microphones	62
Wireless RSM Accessories and Replacement Parts	12	Mobile Microphones Accessories	63
All RSM Accessories and Replacement Parts	14	Control Station Accessories	63
Public Safety Microphones	16	Installation and Mounting Accessories	64
CommPort™	18	External Alarm Accessories	64
Ear Microphone System	20	Speakers	65
Surveillance Kits	20	Universal Relay Controller	65
Surveillance Kit Accessories and Replacement Parts	26	Mobile Siren	66
Surveillance Kit Audio Adapters	27	Siren Accessories	66
Headsets	28	SLIM (Siren Light Interface Module)	67
3M Peltor Heavy Duty Headsets	30	Cables	68
Headset Replacement Parts	31	Antennas	70
Hearing Protection	32		
Tactical Solutions	32	GLOSSARY	78
Mission Critical (Secure) Wireless Accessories	34		
Operations Critical (Non-Secure) Wireless Accessories	38		
Motorola IMPRES 2 Batteries	40		
Motorola IMPRES Batteries	40		
Charger Solutions: Single and Multi-Unit	44		
Charger Solutions: Vehicular and Travel	46		
IMPRES Battery Management Tools	48		
Charger Solutions: Keyload Cables	48		
Carry Solutions	50		
Antennas	56		
Programming Cables	58		



APX PORTABLE RADIO ACCESSORIES

MISSION CRITICAL PERFORMANCE FOCUSED ON DURABILITY AND FLEXIBILITY TO KEEP YOU SAFER

Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness. Get the most out of your APX radio by extending its power and reliability with resilient APX accessories. They are the only accessories tested and certified for use with APX radios. Our accessories endure rigorous testing to last longer and help keep you safer. There’s simply no substitute for Motorola APX accessories.

MOTOROLA’S EXCLUSIVE ENERGY AND AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS

IMPRES™ 2 ENERGY: YOUR RADIO IS YOUR LIFELINE. IF YOUR BATTERY DIES, IT JEOPARDIZES EVERYTHING.

That’s why we introduced the IMPRES 2 for APX series radios. It’s a next-generation energy system that’s safer and smarter, while keeping you powered for even longer. With IMPRES 2 chargers, you can charge batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery.

IMPRES AUDIO: I HEAR YOU, EVEN WHEN YOU CAN’T HEAR YOURSELF.

Motorola’s exclusive IMPRES audio accessories help suppress ambient noise, amplify loudness and improve voice intelligibility. IMPRES audio can virtually block out all background noise in any extreme environment with windporting and noise-cancelling technology. Ensure your voice is heard loud and clear no matter what direction you speak with an advanced microphone system. IMPRES audio will make sure you are heard in any demanding environment.



APX 8000



APX 8000XE



APX 7000



APX 7000XE



APX 6000



APX 6000XE



APX 4000
(1-KNOB)



APX 4000
(2-KNOB)



APX 3000



APX 1000



APX 900



SRX 2200

DESIGNED FOR THE MISSION. ENGINEERED FOR THE EXTREME.

APX XE500 Remote Speaker Microphones (RSMs) are designed by firefighters for firefighters. Ergonomic, rugged and reliable, the XE500 RSM is built with the user’s extreme environment in mind. Designed to withstand heat exposure of 500°F for up to five minutes and an IP68 submersibility rating, it will perform in extreme conditions. Your lifeline needs to be as tough as your radio. That’s why the XE500 RSM is the perfect companion to your APX radio.



- XE500 RSM
KEY FEATURES**
- Available With and Without a Channel Knob
 - High Visibility Strobe Light
 - Adaptive Audio Engine
 - IP68, 2 Meters, 4 Hours Submersion
 - Heat Resistant Housing and Cable
 - Orange Illuminated Emergency Button
 - Transmit / Receive LED

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES								
XE500 REMOTE SPEAKER MICROPHONES (RSM)												
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	CHANNEL CONTROL	PROGRAMMABLE BUTTON	IP RATING	HAZLOC-CAPABLE¹	SIZE (WITHOUT CLIP) (MM)
APX 8000		XE500 High Impact Green, Channel Knob, Xtreme Temperature Cable	PMMN4106		Multi-Mic Noise Suppression				1	 IP68	UL	75 x 98 x 33
APX 8000XE		XE500 Black Housing, Channel Knob, Xtreme Temperature Cable	PMMN4106_BLK		Multi-Mic Noise Suppression				1	 IP68	UL	75 x 98 x 33
APX 7000												
APX 7000XE		XE500 High Impact Green, No Channel Knob, Xtreme Temperature Cable	PMMN4107		Multi-Mic Noise Suppression				1	 IP68	UL	75 x 98 x 33
APX 6000												
APX 6000XE		XE500 Black Housing, No Channel Knob, Xtreme Temperature Cable	PMMN4107_BLK		Multi-Mic Noise Suppression				1	 IP68	UL	75 x 98 x 33

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



 ENHANCED CONTROLS
DESIGNED FOR THE MISSION

The XE500 RSM is an evolution of the XE RSM platform and like its predecessor was designed with the user’s extreme environment in mind. From the exaggerated knobs and controls, that are easy to operate with bulky gloves to the asymmetrical shape that makes it easier to find the controls without looking.

 ADAPTIVE AUDIO ENGINE
HEAR AND BE HEARD

XE500 RSM utilizes 5 integrated microphones and an Adaptive Audio Engine. Similar to the radio, it automatically changes the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

 FLEXIBLE WEARING
WEAR IT ANYWAY YOU WANT

The strategic placement of the microphones and enhanced water drainage provide users with the flexibility to wear it straight, upside down and even sideways while still delivering loud and clear audio.

 EXTREME PERFORMANCE
RUGGED, ROBUST, RELIABLE

Whether you are in the heat of a fire or exposed to extreme weather conditions the XE500 will keep you connected to your team. This RSM was designed to withstand heat exposure of 500°F (260°C) for up to 5 minutes. Built as a system, the APX 8000XE and the XE500 have been tested to meet IP68 (2 meter, 4 hours) submersibility specifications.

APX™ XP REMOTE
SPEAKER MICROPHONE

DUAL MIC NOISE SUPPRESSION

This Remote Speaker Microphone with its thin design and optimized ergonomics is ideal for police officers and other public safety users. With Dual Mic Noise Suppression, you will be heard despite traffic noise and sirens in the background. When it gets dirty, just wash the microphone head to ensure your communication is not compromised.



WIRELESS REMOTE SPEAKER MICROPHONE

Secure pairing is easier than ever with voice prompts as there is no need to navigate menus or enter codes.

Removing the cord from the RSM makes getting ready for work quicker than ever. No more worrying about getting tangled with the seatbelt or other equipment.

This wireless RSM features large but recessed push-to-talk and emergency buttons to ensure that users have easy access to controls but don't have to worry about accidental activation. Additional features include volume control, an audio jack, 360 degree rotatable clip, as well as a task light that allows you to read in the dark.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.									
REMOTE SPEAKER MICROPHONES (RSM) Our robust portfolio includes Remote Speaker Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments.									All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.												
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	SIZE (WITHOUT CLIP) (MM)	POLICE	FIRE	EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		IMPRES XP RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271	●	Dual-Mic Noise Suppression					1		IP68 Rugged	95 x 69 x 27	●			●	●	●		●
		IMPRES XP RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control, 1-Programmable Button and Orange Button (IP55)	NMN6274	●	Dual-Mic Noise Suppression					1	3.5 mm	IP55	95 x 69 x 27	●			●	●	●		●
		XP RSM Replacement Cable with Audio Jack	PMKN4222																		
		XP RSM Replacement Cable without Audio Jack	NKN6611																		
APX 8000 APX8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Wireless RSM with Battery, Clip (RLN6544) and Dual Unit Charger (PMLN7120)	RLN6554		Windporting					1	3.5 mm	IP55	88 x 63 x 26	●		●	●	●	●		●
		Wireless RSM with Battery and Clip. No Charger.	RLN6544		Windporting					1	3.5 mm	IP55	8 x 63 x 26	●		●	●	●	●		●

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	FEATURES											VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.									
REMOTE SPEAKER MICROPHONES (RSM) Our robust portfolio includes Remote Speaker Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments.						All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.																	
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	HAZLOC-CAPABLE†	SIZE (WITHOUT CLIP) (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 900 SRX 2200			IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104		Windporting					2	8-Pin		UL	68 x 106 x 31								
			IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103		Windporting						2	8-Pin		UL	68 x 106 x 31							
			IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101		Windporting						2	8-Pin		UL	68 x 106 x 31							
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			IMPRES RSM Windporting, Rugged (IP68)	PMMN4083		Windporting									60 x 78 x 28								
			IMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise-Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4084		Noise-Cancelling							3.5 mm	IP54		60 x 78 x 28							
APX 8000 APX 8000XE APX 7000 APX 7000XE	APX 6000 APX 6000XE APX 4000 APX 1000 APX 900		IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP68)	PMMN4099		Windporting					1	3.5 mm		UL	60 x 78 x 28								
 SRX 2200			Windporting RSM, Coyote Brown, (IP57)	NNTN8235		Windporting								UL	55 x 60 x 27								
			Windporting RSM with NON-Threaded 3.5mm Audio Jack, Coyote Brown, (IP54)	NNTN8236		Windporting							3.5 mm	IP54	UL	55 x 60 x 27							
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200			IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise-Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4062		Noise-Cancelling						3.5 mm	IP54	UL	60 x 78 x 28								
			IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065		Windporting						1			UL	60 x 78 x 28							
			IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069		Windporting								3.5 mm	IP55	UL	60 x 78 x 28						

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	
REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS			
PORTABLE RADIOS		DESCRIPTION	PART NUMBER
XE RSM REPLACEMENT PARTS			
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		Xtreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)	30009402002
		Xtreme Temperature Replacement Cable for XE500 RSM	30009402007
		XE RSM Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	NNTN8271
		XE500 RSM Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	PMLN7633
		Clip Button	NNTN8749
	FIRE MARKET SOLUTION  The XE and XE500 RSM clip paired with a clip button allows easy and secure access to your RSM when used with a Boston Radio Strap with Button Back Holder.		
WIRELESS RSM ACCESSORIES AND REPLACEMENT PARTS			
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Dual Unit Charger, rapid rate charger, 120V (US Plug)	PMLN7120
		Vehicular Charger	PMLN6716
		Wireless RSM with Battery and Clip, No Charger	RLN6544
		Wireless RSM Battery, 1750 mA Li-Ion	PMNN4461
		D Ring Swivel Clip (12 pack) Compatible with all XP RSMs and Wireless RSMs	NNTN4990



APX WIRELESS RSM

Every feature on this RSM has been purposefully designed. Large, yet recessed push-to-talk and emergency buttons are easy to access and designed to prevent accidental activation. Additional features include a volume control, audio jack and task light that allows you to read items such as a driver’s license in the dark. This RSM features all of the advanced capabilities of Mission Critical Wireless including enhanced security, fast push-to-talk and quick touch pairing with voice prompts that confirm pairing actions. This RSM also features a removable and rechargeable battery. Charge the RSM on the go with the vehicular charger or in the office with the dual-unit desk charger.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES			
REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS							
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	HAZLOC-CAPABLE¹
 APX 8000		Receive-Only Earpiece with Comfort Eartube, UL approved		RLN4941	Clear Rubber Eartip	3.5mm	UL
		Receive-Only Earpiece with Comfort Eartube. Extra loud audio output		RLN4941_XL	Clear Rubber Eartip	3.5mm	
 APX 8000XE		Receive-Only Earpiece with Comfort Eartube		PMLN7560	Clear Rubber Eartip	3.5mm	
 APX 7000		Receive-Only Earbud, UL approved		AARLN4885	Foam Earbud	3.5mm	UL
 APX 7000XE		Receive-Only Earpiece, Loud Version. Required BDN6783 or NMN6274		RLN5313_XL	Clear Rubber Eartip	3.5mm	
 APX 6000		EP7 Sonic Defender, use with RLN4941		RLN6511 RLN6512 RLN6513			
 APX 6000XE		Adjustable D-Style Earpiece		PMLN7396	Over-the-Ear	3.5mm	
		D-Shell Rx-Only Earpiece		PMLN4620	Over-the-Ear	3.5mm	UL
 APX 4000		Receive-Only Flexible Earpiece		WADN4190	Over-the-Ear	3.5mm	UL
 APX 3000		Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)		RMN5116	Over-the-Head	8-Pin	UL
 APX 1000		Receive-Only Extra Loud Earpiece with Translucent Tube and Rubber Eartip (for HMN4104, HMN4103 and HMN4101 only)		RLN6424_XL	Clear Rubber Eartip	8-Pin	UL
 APX 900		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* (Pack of 50 pairs)		5080384F72	Foam Eartip		
 SRX 2200		Replacement Rubber Eartip for RLN6424 (Pack of 25)		5080370E97			
		D Ring Swivel Clip (12 pack). Compatible with all XP RSMs and wireless RSMs		NNTN4990			

* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB.
† HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



WHICH MICROPHONES ARE 50% LOUDER AND CLEARER?

APX Remote Speaker Microphones and Public Safety Microphones deliver audio that is clearer, easier to understand, and up to 50% louder. That’s because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES	
REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	CONNECTOR TYPE
APX 8000XE		Interface Cable, 5-Pin Nexus Female Receptacle for HMN4104, HMN4103 and HMN4101	PMKN4107	5-Pin Nexus Female
APX 7000		Interface Cable 4-Pin Nexus Male Plug for HMN4104, HMN4103 and HMN4101	PMKN4112	4-Pin Nexus Male
APX 7000XE				
APX 6000		Interface Cable, 12-Pin Hirose Male Connector for HMN4104, HMN4103 and HMN4101	PMKN4113	12-Pin Hirose Male
APX 6000XE				
APX 4000		Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
APX 3000				
APX 1000				
APX 900		Replacement Coil Cord Kit for PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	
SRX 2200				



WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

If you work outdoors in demanding weather, a Windporting microphone is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.

NOISE-CANCELLING AUDIO: I HEAR YOU, NOT THE NOISE

Talking in a crowd or near heavy equipment? A Noise-Cancelling microphone reduces background sounds. To optimize noise reduction, hold the microphone in the correct position directly in front of your mouth, facing the source of the noise.

DUAL MIC NOISE SUPPRESSION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.

COMPATIBILITY		ACCESSORY		FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
PUBLIC SAFETY MICROPHONES Our robust portfolio includes Public Safety Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments.																				
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	HAZLOC-CAPABLE†	SIZE (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
 APX 7000 700/800 MHz only  APX 6000 700/800 MHz only  APX 3000 700/800 MHz only		Public Safety Microphone (30 inch cable) PSM Antenna required. VHF not supported.	PMMN4061		Windporting	 ▲ High/Low	 ▲	1	3.5 mm	IP55	UL	60 x 78 x 28								
		Public Safety Microphone (24 inch cable) PSM Antenna required. VHF not supported. Recommended for use with UHF radios.	PMMN4060		Windporting	 ▲ High/Low	 ▲	1	3.5 mm	IP55	UL	60 x 78 x 28								
		Public Safety Microphone (24 inch cable) PSM Antenna required. VHF not supported. Recommended for use with 7/800MHz radios.	PMMN4060_SP01		Windporting	 ▲ High/Low	 ▲	1	3.5 mm	IP55	UL	60 x 78 x 28								
		Public Safety Microphone (18 inch cable) PSM Antenna required. VHF not supported.	PMMN4059		Windporting	 ▲ High/Low	 ▲	1	3.5 mm	IP55	UL	60 x 78 x 28								

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



HOW DOES COMMPORT™ WORK?

The miniature microphone and receiver connect to your APX radio and fasten securely and comfortably to your ear. Unlike bone conduction or boom mic technology, the CommPort System picks up sound waves as they cross the face so you hear and can be heard virtually in any environment.


APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
COMMPORT™ Integrated microphone/receiver lets you talk discreetly and hear clearly and still be aware of everything around you, from traffic noise to other responders.			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	
APX 8000		Replacement Palm PTT for RLN6480	NKN6510
APX 8000XE			
APX 7000			
APX 7000XE		Replacement Cable for RLN6481	NKN6508
APX 6000			
APX 6000XE			
APX 4000		Replacement Snap-On-Side PTT for RLN6482	NKN6525
APX 3000			
SRX 2200			

COMPATIBILITY		ACCESSORY	
COMMPORT™			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
 APX 8000		Replacement Ring PTT for RLN6483	NKN6512
 APX 8000XE			
 APX 7000			
 APX 7000XE			
 APX 6000		CommPort Maintenance Kit (Includes 10 replacement ear tubes, 10 microphone seals and 2 windscreens)	NTN8821
 APX 6000XE		Ear Straps for secure attachment to ear (pack of 10)	NTN8988
 APX 4000			
 APX 3000			
 SRX 2200			
		Replacement Collar Clip	4285838B01




APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY			ACCESSORY			FEATURES			VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
EAR MICROPHONE SYSTEM															
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC- CAPABLE¹	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200	 IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653		In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed									
	 Earguard with Adjustable Loop	0180300E25	HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE? IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility. If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.												
	Earholder, Black, Small	0180358B32													
	Earholder, Clear, Large	0180358B37													

COMPATIBILITY	ACCESSORY		FEATURES						VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
SURVEILLANCE KITS Transmit and receive discreetly with a variety of surveillance kits that feature a streamlined design and rugged cables that withstand tough conditions. A quick-disconnect, durable and comfortable translucent tube enables easy sharing between shifts.						Two-wire kits have one wire for receiving transmissions and one wire with a combined microphone and push-to-talk. Three-wire kits feature separate wires for receiving transmissions, push-to-talk and microphone.										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC- CAPABLE†	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE		1-Wire Receive-only Earpiece, Black	PMLN6125		Ear Hanger				UL							
		1-Wire Receive-only Earpiece, Beige	PMLN6126		Ear Hanger				UL							
		IMPRES 2-Wire Surveillance Kit, Programmable Button, Black	PMLN6127		Ear Hanger				UL							
		IMPRES 2-Wire Surveillance Kit, Programmable Button, Beige	PMLN6128		Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		UL							

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES						VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
SURVEILLANCE KITS																	
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC-CAPABLE¹	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Programmable Button, Black	PMLN6129		Clear Rubber Eartip				UL								
		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Programmable Button, Beige	PMLN6130		Clear Rubber Eartip	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		UL								
 APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  APX 1000  APX 900  SRX 2200		IMPRES 3-Wire Surveillance Kit with Translucent Tube, Programmable Button, Black	PMLN6123		Clear Rubber Eartip				UL								
		IMPRES 3-Wire Surveillance Kit with Translucent Tube, Programmable Button, Beige	PMLN6124		Clear Rubber Eartip	Separate Wire	Separate Wire		UL								
		1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726		Ear Hanger				UL								
		1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727		Ear Hanger				UL								

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY						VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
SURVEILLANCE KITS															
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	HAZLOC-CAPABLE†	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
 APX 8000  APX 8000XE  APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  APX 1000  APX 900  SRX 2200		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783.		RLN5313	Clear Rubber Eartip			UL	●		●	●			
		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, Loud version, 3.5mm Threaded. Requires BDN6783 or NMN6274.		RLN5313_XL	Clear Rubber Eartip				●		●	●			
		2-Wire Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783.		RLN5312	Clear Rubber Eartip	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		●		●	●			
		2-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.		BDN6729	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	UL	●		●	●			
		2-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.		BDN6669	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		●		●	●			
		2-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.		BDN6731	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	UL	●		●	●			
		3-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.		BDN6668	Ear Hanger	Separate Wire	Separate Wire	UL	●		●	●			
		3-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.		BDN6730	Ear Hanger	Separate Wire	Separate Wire	UL	●		●	●			
		3-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.		BDN6670	Ear Hanger	Separate Wire	Separate Wire		●		●	●			
		3-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.		BDN6732	Ear Hanger	Separate Wire	Separate Wire	UL	●		●	●			

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES		
SURVEILLANCE KIT ACCESSORIES AND REPLACEMENT PARTS						
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
	APX 8000XE		Completely Discreet Earpiece Kit with Neckloop, Beige, Includes GMLN5261, RLN4920 and RNN4005	PMLN7696		
			Phonak Nano Ear Receiver, Beige (Neckloop must be ordered separately)	GMLN5261		
			Phonak Nano Ear Receiver, Brown (Neckloop must be ordered separately)	GMLN5262		
	APX 7000		Replacement Earwax Guards. 5 per pack. Compatible with PMLN7696	RLN4919		
			Optional Retention Hooks, Pack of 10	NNTN8457		
	APX 7000XE		Phonak Inductive Neckloop Included in the PMLN7696	RLN4920		
			1.4 Volt Battery – Pack of 6	RNN4005		
	APX 6000		Low Noise Kit with Quick Disconnect Translucent Tube and Clear Rubber Eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
			Replacement Standard Clear Rubber Eartip, Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130
	APX 6000XE		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* Pack of 50 pairs.	5080384F72	Foam Eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
			Low Noise Kit with 1 Clear Rubber Eartip	RLN5886	Clear Rubber Eartip	RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6125, PMLN6126
	APX 4000		High Noise Kit* with 2 Foam Earplugs	RLN5887	Foam Eartip	
			APX 3000		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511
Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512				Comply™ Foam Eartip	
Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513				Comply™ Foam Eartip	
	APX 1000					
	APX 900					
	SRX 2200					

* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB.



COMPATIBILITY		ACCESSORY		FEATURES	
SURVEILLANCE KIT ACCESSORIES AND REPLACEMENT PARTS					
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	EARPIECE TYPE
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		Small Clear Comfortable Earpiece, Right Ear	RLN4760	Clear comfortable earpiece	
		Medium Clear Comfortable Earpiece, Right Ear	RLN4761	Clear comfortable earpiece	
		Large Clear Comfortable Earpiece, Right Ear	RLN4762	Clear comfortable earpiece	
		Small Clear Comfortable Earpiece, Left Ear	RLN4763	Clear comfortable earpiece	
		Medium Clear Comfortable Earpiece, Left Ear	RLN4764	Clear comfortable earpiece	
		Large Clear Comfortable Earpiece, Left Ear	RLN4765	Clear comfortable earpiece	
	SURVEILLANCE KIT AUDIO ADAPTERS				
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200	3.5mm Threaded Audio Adapter		BDN6783 [†]	UL Approved: BDN6667, BDN6668, BDN6669, BDN6728, BDN6729, BDN6730, BDN6731, BDN6670 Other: BDN6664, BDN6665, BDN6666, BDN6726, BDN6727, BDN6732	
		6 Pin Hirose Keyload and Audio Adapter	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039	

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It’s the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you’ll hear critical communications from co-workers in the field with you.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.								
HEADSETS																				
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	PTT	HAZLOC-CAPABLE†	WEIGHT	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		IMPRES Temple Transducer with Boom Microphone and In-line Push-To-Talk Replacement Rubber Temple Cover (1 Pair) 7580384M19		PMLN5101	●	Behind-the-Head	Bone Conduction		Boom	In-line	UL	Lightweight	●		●		●	●	●	
		Earset D-Shell		PMLN5096		Over-the-Ear	Single-Ear		Boom	In-line	UL	Lightweight							●	
		Ultra Lite Headset		PMLN5102		Over-the-Head	Single-Ear		Boom	In-line	UL	Lightweight							●	
		Heavy-Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB		PMLN6852		Behind-the-Head	Dual-Ear	●	Boom	On Ear Cup		Heavy-Duty					●	●	●	
		Heavy-Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB		PMLN6853		Behind-the-Head	Dual-Ear	●	Boom	On Ear Cup	UL	Heavy-Duty					●	●	●	
		Heavy-Duty Over-the-Head Headset with Noise-Cancelling boom Microphone, Noise Reduction = 24dB		PMLN7466		Over-the-Head	Dual-Ear	●	Boom	On Ear Cup		Heavy-Duty					●	●	●	
		Heavy-Duty Over-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB		PMLN7467		Over-the-Head	Dual-Ear	●	Boom	On Ear Cup	UL	Heavy-Duty					●	●	●	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000	APX 6000XE APX 4000 APX 1000 APX 900 SRX 2200		Lightweight Over-the-Head Headset Single Muff with in-Line Push-To-Talk & Boom Mic REX4648 - Replacement Foam Earpad and Microphone Cover Kit		RMN5058		Over-the-Head	Single-Ear		Boom	In-line	UL	Lightweight			●		●	●	●
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 900 SRX 2200		XBT Operations Critical Wireless Behind-the-Neck Headset		RLN6490		Behind-the-Neck	Dual-Ear	●	Boom	Radio, Headset or Wireless PTT Pod		Heavy-Duty					●		●	
		XBT Operations Critical Wireless Headband Style Headset		RLN6491		Over-the-Head	Dual-Ear	●	Boom	Radio, Headset or Wireless PTT Pod		Heavy-Duty					●		●	

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

APX PORTABLE RADIO ACCESSORIES


COMPATIBILITY	ACCESSORY				FEATURES						
3M PELTOR HEAVY DUTY HEADSETS											
PORTABLE RADIOS	DESCRIPTION AND ADAPTER TYPE		PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	NOISE-CANCELLING MICROPHONE	PTT (APX)	HAZLOC-CAPABLE†
DIRECT CONNECT											
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		MT Series Over-the-Head Headset, Direct Radio Connect	RMN5137	MT7H79A-C5063-34	Over-the-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup	UL
		MT Series Neckband Headset, Direct Radio Connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup	UL
		MT Series Hard Hat Attached Headset, Direct Radio Connect	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup	UL
PTT ADAPTER CONFIGURATIONS											
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		MT Series Over-the-Head Headset with Nexus Connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095	
		MT Series Neckband Headset with Nexus Connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapter PMLN6095	
		MT Series Hard Hat Attached with Nexus Connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapter PMLN6095	
		TacticalPro Series Over-the-Head Headset with Nexus Connector	RMN4052	MT15H7A-34	Over-the-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095	
		TacticalPro Series Neckband Headset with Nexus Connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095	
		TacticalPro Series Hard Hat Attached with Nexus Connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095	
		PTT Nexus Adapter. Requires one of the six headsets listed directly above		PMLN6095	FL5063-34						
RSM CONFIGURATIONS											
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		HT Series Listen Only Over-the-Head Headset with 3.5mm NON Threaded Connector	RMN4055	HTM79A-34	Over-the-Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	APX radio requires RSM: PMMN4062, PMMN4069 or PMMN4084	
		HT Series Listen Only Neckband Headset with 3.5mm NON Threaded Connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)		
		HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON Threaded Connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)		



COMPATIBILITY		ACCESSORY		
HEADSET REPLACEMENT PARTS				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
		Boom Microphone Wind Screen	RLN6543	M40/1

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES				VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.									
HEARING PROTECTION																	
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION		
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511			Comply™ Foam Ear tip		Noise-Reduction									
			Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512			Comply™ Foam Ear tip		Noise-Reduction								
			Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513			Comply™ Foam Ear tip		Noise-Reduction								
	TACTICAL SOLUTIONS																
	 APX 8000  APX 8000XE  APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  SRX 2200		Tactical PTT/VOX Interface Module	PMLN6765													
			Tactical PTT Only Interface Module	PMLN6827													
			Tactical Boomless Temple Transducer Requires Interface Module PMLN6765 or PMLN6827.	PMLN6766		Over-the-Head	Bone Conduction	Noise-Cancelling									
			Tactical Throat Microphone Requires Interface Module PMLN6765 or PMLN6827.	PMLN6828		Neckband	Earbud	Noise-Cancelling									
			Tactical Ear Microphone Requires Interface Module PMLN6765 or PMLN6827.	PMLN6829		In-Ear	In-Ear	Noise-Cancelling									
		Tactical Temple Transducer / Boom Mic Requires Interface Module PMLN6765 or PMLN6827.	PMLN6833		Over-the-Head	Bone Conduction	Noise-Cancelling										
		Tactical Remote Body PTT For use with Interface Module PMLN6765 or PMLN6827.	PMLN6767														
		Tactical Remote Ring PTT For use with Interface Module PMLN6765 or PMLN6827.	PMLN6830														

WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

RLN6511, RLN6512, RLN6513

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memory-foam Comply™ Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.* With a patented EarLock® technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit.

*EP7 earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

Motorola’s Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headsets assures efficient and safer operation in a variety of work environments.

HOW DO MISSION CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio and are ideal for surveillance operations. They look CONSUMER, but are mission critical in performance and provide exceptional flexibility, high security, superior audio performance and a new dimension of freedom. Carry your radio in a backpack, bag or purse without being constrained by wires. YOUR RADIO, UNLEASHED.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES										VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.								
MISSION CRITICAL WIRELESS (MCW) ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.																						
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MM)	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC-CAPABLE¹	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			Mission Critical Wireless Earpiece with 12" Cable and Push-To-Talk Pod	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	●	10	3	43	70 x 41 x 25	30	IP54		●	●	●	●	●		●	
			Mission Critical Wireless Push-To-Talk Pod	NTN2571				●	10	3	43	70 x 41 x 25	30	IP54		●	●	●	●	●		●
			Mission Critical Wireless Remote Control Keyfob with Programmable Buttons	NNTN8442				●	10	3	26	67 x 32 x 16	30	IP54		●			●			

[†] HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	FEATURES			
MISSION CRITICAL WIRELESS (MCW) ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.						
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
 APX 8000  APX 8000XE  APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  SRX 2200		Single-wire Surveillance Kit With Quick Disconnect Translucent Tube for Wireless Push-to-Talk Pod	PMLN7052	Clear Rubber Eartip	In-line	On Pod, ordered separately
		Single-wire Earbud with 11.5" Cable for Wireless Push-to-Talk Pod, Black	NNTN8294	Earbud	In-line	On Pod, ordered separately
		Single-wire Earbud with 45" Cable for Wireless Push-to-Talk Pod, Black	NNTN8295	Earbud	In-line	On Pod, ordered separately
		Covert Audio Kit for Mission Critical Wireless PTT Pod	NNTN8296	1 Earbud and 2 Earbud Headsets	In-line	On Pod, ordered separately
		Y-Adapter and Retention Hook for Mission Critical Wireless Push-to-Talk Pod	NNTN8385		Directional, on Separate Wire	On Pod, ordered separately
		Neckloop for Discreet Earpiece Kit	RLN4920			
		Accessory Kit for Completely Discreet Wireless Surveillance Kit. Includes: Wireless Neckloop, Y-adapter and Retention Hook (NNTN8385), Completely Discreet Earpiece Kit (PMLN7696) and Mission Critical Wireless Push-To-Talk Pod (NTN2571)	NNTN8434			
		Commercial 3.5mm Earbud Headset Adapter, 10 per pack	NNTN8737			
		Replacement Wireless Earpiece Cable, 12 inch	NTN2572	Over-the-Ear (CommPort™)	Directional above the Ear CommPort	On Pod, ordered separately
		Mission Critical Wireless Covert Pack-N-Go Kit, Basic. Kit includes: NNTN8296 Basic Mission Critical Wireless Covert Kit, NTN2571 Mission Critical Wireless Push-to-Talk (PTT) Pod and NNTN8442 Mission Critical Wireless Remote Control Unit	RLN6489	Earbud and Earbud Headset	On Y-Adapter or In-line on Earbuds	On PTT and MCW Keyfob
	Mission Critical Wireless Covert Pack-N-Go Kit, Advanced. Kit includes: All contents of Covert Pack-n-Go Kit plus PMLN7696 Completely Discreet Earpiece Kit and NNTN8385 Wireless Neckloop Y-adapter	RLN6501	Completely Discreet Earpiece, Earbud and Earbud Headset	On Y-Adapter or In-line on Earbuds	On PTT and MCW Keyfob	

COMPATIBILITY	ACCESSORY		FEATURES			
MISSION CRITICAL WIRELESS (MCW) ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.						
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Wireless Earpiece Maintenance Kit with 10 Silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for NTN2572 Over-the-Ear Earpiece	NTN8821	Over-the-Ear (CommPort™)		
		Ear Strap for CommPort™ Earpiece to Secure Earpiece to Ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
		Eartubes for CommPort™ Earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort™)		
		Replacement Ear Tips Kit for Wireless Ear Buds (20 Small, 20 Medium, 20 Large and 10 Clips)	NNTN8361	Earbud		
		Replacement Swivel Clip for Wireless PTT Pod	PMLN6246			
		Replacement or Spare Micro-USB Plug-In Charger (US)	PMPN4027			

WHAT MAKES THE COVERT PACK-AND-GO KIT A MUST-HAVE?


Organize and stow all your APX wireless accessories on the go, all in one place. Keep this durable kit in a backpack or messenger bag and you'll always have the right accessories on hand. With a dozen secure straps and deep mesh pockets, you can access exactly what you need when an operation happens.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES			
OPERATIONS CRITICAL WIRELESS (OCW) ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.							
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
 APX 900		EP900W Operations Critical Wireless Earpiece with PTT		PMLN7851	Over-the-Ear (Swivel)	In-line	On Pod
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod, and Charging Cradle with Power Supply		RLN6500	Over-the-Ear (Swivel)	Boom	On Earpiece
		Flexible Earpiece With Boom Microphone for RLN6500		PMLN7203	Over-the-Ear (Swivel)	Boom	On Pod, ordered separately
		Operations Critical Wireless Earpiece with 12 inch Cable		NNTN8125	Over-the-Ear (CommPort™)	Directional, above the Earpiece	On Pod
		Operations Critical Wireless Push-to-Talk Pod with Charger		NNTN8127			On Pod
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 900 SRX 2200		Accessory Kit for Completely Discreet Wireless Surveillance Kit. Includes: Wireless Neckloop, Y-adapter and Retention Hook (NNTN8385), Completely Discreet Earpiece Kit (PMLN7696) and Mission Critical Wireless Push-To-Talk Pod (NTN2571)		NNTN8434			
		Single-wire Surveillance Kit With Quick Disconnect Translucent Tube for Wireless Push-to-Talk Pod for Pod		PMLN7052	Clear Rubber Eartip	In-line	On Pod, NNTN8127 ordered separately
		Single-wire Earbud with 11.5" Cable for Wireless Push-to-Talk Pod, Black		NNTN8294	Earbud	In-line	On Pod, NNTN8127 ordered separately
		Single-wire Earbud with 45" Cable for Wireless Push-to-Talk Pod, Black		NNTN8295	Earbud	In-line	On Pod, NNTN8127 ordered separately
		XBT Operations Critical Wireless Behind-the-Neck Headset		RLN6490	Headset	Boom	Headset or On Pod NNTN8127 ordered separately



COMPATIBILITY	ACCESSORY		FEATURES			
OPERATIONS CRITICAL WIRELESS (OCW) ACCESSORIES						
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 900 SRX 2200		XBT Operations Critical Wireless Headband Style Headset	RLN6491	Headset	Boom	Headset or On Pod NNTN8127 ordered separately
		Replacement Wireless Earpiece Cable, 12 inch	NTN2572	Over-the-Ear (CommPort™)	Directional above the Ear CommPort	On Pod, NNTN8127 ordered separately
		Covert Audio Kit for Operations Critical Wireless PTT Pod	NNTN8296			
		CommPort Maintenance Kit (Includes 10 replacement ear tubes, 10 microphone seals and 2 windscreens)	NTN8821	Over-the-Ear (CommPort™)		
		Ear Strap for CommPort™ Earpiece to Secure Earpiece to Ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
		Eartubes for CommPort™ Earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort™)		

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY			ACCESSORY	FEATURES						
MOTOROLA IMPRES 2 BATTERIES										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	HAZLOC-CAPABLE†	IP RATING
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Li-Ion 3400 mAh Battery, IP68 Rugged	PMNN4486		Li-Ion	3400	86 x 59 x 42	185		 IP68 Rugged
		IMPRES 2 Li-Ion 2550 mAh Battery, IP68 Rugged	PMNN4485		Li-Ion	2550	86 x 59 x 37	150		 IP68 Rugged
		IMPRES 2 Li-Ion 4850 mAh Battery, IP68 Rugged, -30°C Rated	PMNN4487		Li-Ion	4850	130 x 59 x 42	320		 IP68 Rugged
		IMPRES 2 Li-Ion 5100 mAh Battery, IP68 Rugged	PMNN4494		Li-Ion	5100	130 x 59 x 42	320		 IP68 Rugged
APX 6000 APX 6000XE SRX 2200		IMPRES 2 Li-Ion 3100 mAh Battery, IP68 Rugged	PMNN4547		Li-Ion	3100	86 x 59 x 45	200	UL	 IP68 Rugged
		IMPRES 2 Li-Ion 4600 mAh Battery, IP68 Rugged	PMNN4573		Li-Ion	4600	130 x 59 x 42	320	UL	 IP68 Rugged
APX 8000XE		IMPRES 2 Li-Ion 3400 mAh Battery, IP68 Rugged	PMNN4504		Li-Ion	3400	86 x 59 x 42	185	UL	 IP68 Rugged
		IMPRES 2 Li-Ion 4850 mAh Battery, IP68 Rugged, -30°C Rated	PMNN4505		Li-Ion	4850	130 x 59 x 42	320	UL	 IP68 Rugged

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



IMPRES 2 – A NEW GENERATION. COMPLETELY RE-ENERGIZED.

With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery. IMPRES 2 batteries have been improved inside and out, so your team can tackle whatever the day brings. With higher capacity, you’ll get more talk time. With better water resistance, you’ll never think twice about submersion. And with the ability to charge up to 60% more times than standard Lithium Ion batteries, you’ll reduce costs.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES							
MOTOROLA IMPRES BATTERIES The only batteries developed, tested and certified for optimal performance with your APX radio. APX batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform the other brands.										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	HAZLOC-CAPABLE [†]	IP RATING
APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200	 APX Clamshell Battery Pack, IP57 Requires 12 AA Alkaline batteries (not included).		PMNN4439		AA Alkaline/ Li-Ion	Alkaline: 2700 Li-Ion: 6100	165 x 60 x 60	Alkaline: 476 Li-Ion: 380		 IP57
SRX 2200	 Military, Li-Ion 3100 mAh, Battery IP68 Rugged, Coyote Brown		NNTN8182		Li-Ion	3100	86 x 59 x 42	185		 IP68 Rugged
APX 4000 APX 3000 APX 1000 APX 900	 IMPRES Li-Ion 2000 mAh Slim Battery, IP67		NNTN8128		Li-Ion	2000	115 x 52 x 18	160		 IP67
	 IMPRES Li-Ion 2350 mAh Battery, IP67		PMNN4424		Li-Ion	2350	115 x 52 x 23	170		 IP67
	 IMPRES Li-Ion 2800 mAh Battery, IP67		PMNN4448		Li-Ion	2800	115 x 52 x 23	170		 IP67
 APX 900	 IMPRES Li-Ion 2900 mAh Battery, IP68		PMNN4489		Li-Ion	2900	115 x 52 x 23	170	UL	 IP68
	 IMPRES Li-Ion 2100 mAh Battery, IP68		PMNN4491		Li-Ion	2100	115 x 52 x 18	160		 IP68
	 IMPRES Li-Ion 3000 mAh Battery, IP68		PMNN4493		Li-Ion	3000	115 x 52 x 23	170		 IP68
APX 4000 APX 3000 APX 1000	 IMPRES Hi-Cap Li-Ion 2500 mAh Battery, IP57		NNTN8560		Li-Ion	2500	113 x 52 x 23	195	UL	 IP57
 APX 3000	 IMPRES Li-Ion 1300 mAh Slim Battery, IP67		NNTN8305		Li-Ion	1300	115 x 52 x 14	98		 IP67

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



INCREASED CAPACITY

DO MORE WITHOUT THE BULK.
First responders, public works employees, and other professionals know that shifts aren’t getting any shorter. Thankfully, you can keep your people connected even longer. IMPRES 2 batteries deliver higher capacity without an increase in size.



DURABLE DESIGN

TACKLE THE TOUGHEST CONDITIONS.
Wherever the job takes you, be confident your battery will be up to the challenge. All IMPRES 2 batteries share the same IP68 rating as APX radios, which means they can be fully submersed in two meters of water for up to four hours. Designed with a rugged housing, they’re as tough as the radios they charge. And in test after test, IMPRES 2 batteries continually withstand shocks, knocks, drops and shakes, outperforming the competition every time.



EXTENDED BATTERY LIFE

EXTENDED LIFE. BUILT TO LAST.
You face challenges every day. Battery life shouldn’t be one of them. IMPRES 2 batteries, when combined with an IMPRES 2 charger, deliver up to 60% more charging cycles than traditional Lithium Ion batteries, so they’re on the job longer. Which means you can stock fewer spares, and replace fewer batteries. We’ve also extended our capacity warranty from 18 to 24 months*, while backing all IMPRES batteries with a long 48 month workmanship warranty. IMPRES 2 batteries are compatible with all existing IMPRES chargers, so your upgrade will be a smooth one.

*IMPRES 2 batteries not charged exclusively in IMPRES 2 chargers receive a 6 month capacity warranty reduction to 18 months instead of 24 months.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES								
CHARGER SOLUTIONS Choose from a variety of solutions including single-unit, unique dual-unit, multi-unit, travel and vehicular chargers and be confident your radio is charged and ready to go the moment you need it.											
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
SINGLE AND MULTI-UNIT CHARGERS											
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Single-Unit Fast Charger, 115V	NNTN8860	●	Li-Ion, NiMH	115VAC	60 x 97 x 163	1	●	Fast	
		IMPRES 2 Single-Unit Fast Charger, 115V, TAA compliant	NNTN8860_TAA	●	Li-Ion, NiMH	115VAC	60 x 97 x 163	1	●	Fast	
		IMPRES 2 Single-Unit Fast Charger, 100-240V	NNTN8863	●	Li-Ion, NiMH	100-240VAC	60 x 97 x 163	1	●	Fast	
APX 4000 APX 3000 APX 1000 APX 900		IMPRES Single-Unit Charger, 115V	PMPN4174	●	Li-Ion, NiMH	115VAC	61 x 97 x 163	1	●	Rapid Rate	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Multi-Unit Fast Charger with 6 Displays and 6 Integrated USB Charging Ports, 100-240V	NNTN8844	●	Li-Ion, NiMH	100-240VAC	153 x 445 x 292	6	●	Fast	6
APX 4000 APX 3000 APX 1000 APX 900		IMPRES Multi-Unit Charger, 115V	PMPN4284	●	Li-Ion, NiMH	115VAC	117 x 444 x 170	6	●	Rapid Rate	1
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		Wall Mount Bracket for IMPRES Multi-Unit Chargers NNTN8844	NLN7967								
APX 4000 APX 3000 APX 1000 APX 900		Wall mount bracket for PMPN4284 Charger	BR000272A01								



CHARGE FAST. RESPOND FASTER.

With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery.

Get a detailed look at performance while your batteries charge. A built-in diagnostic tool, integrated in the multi-unit charger, provides important usage data, such as a battery’s ability to hold a charge and its time in service. Use the information to manage your fleet more efficiently, and replace low capacity batteries before it’s too late.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES						
CHARGER SOLUTIONS Choose from a variety of solutions including single-unit, unique dual-unit, multi-unit, travel and vehicular chargers and be confident your radio is charged and ready to go the moment you need it.										
PORTABLE RADIOS	DESCRIPTION			PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	CHARGING CURRENT (MAX.)
VEHICULAR, TRAVEL CHARGERS AND VEHICULAR ADAPTER										
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200	 IMPRES Single-Unit Rapid Rate Vehicular Charger			NNTN7624		Li-Ion, NiMH	12VDC Hardwire	82 x 97 x 200	1	Rapid Rate
APX 4000 APX 3000 APX 1000 APX 900	 IMPRES Single-Unit Rapid Rate Vehicular Charger			NNTN7616		Li-Ion, NiMH	12VDC Hardwire	82 x 97 x 200	1	Rapid Rate
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200	 Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom Charger Base, Mounting Bracket, and Coil Cord			RLN6434		Li-Ion, NiMH	12VDC Cigarette Lighter Adapter	67 x 67 x 70	1	
APX 4000 APX 3000 APX 1000 APX 900	 Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom Charger Base, Mounting Bracket, and Coil Cord			NNTN8525		Li-Ion, NiMH	12VDC Cigarette Lighter Adapter	64 x 67 x 57	1	
APX 8000 APX 8000XE APX 6000 APX 6000XE SRX 2200	 APX Vehicular Adapter includes Fused Power Cable, 2 Keys for the Lock, Screws for Attaching Vehicular Adapter to the Trunnion Mounting Bracket & Quick Start Guide. Trunnion mounting bracket NTN8940 ordered separately.			NNTN8527		Li-Ion	12VDC Hardwire	254 x 137 x 84	1	Rapid Rate
	Trunnion Mounting Bracket			NTN8940						



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	
CHARGER SOLUTIONS			
PORTABLE RADIOS		DESCRIPTION	PART NUMBER
IMPRES BATTERY MANAGEMENT TOOLS			
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		IMPRES Battery Fleet Management Software	https://www.motorolasolutions.com/en_us/products/two-way-radio-accessories/batteries/impres.html
		IMPRES Battery Fleet Management License Key	HKVN4036
		IMPRES 2 single unit charger (NNTN8860, NNTN8860_TAA, NNTN8863) reprogramming and Battery Fleet Management interface cable	NNTN8870
KEYLOAD CABLES			
APX 8000 APX 8000XE		Keyload RS-232 Cable	WPLN6905
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Keyloader Cable, KVL3000 and KVL4000	WPLN6904



HOW DO I KNOW MY BATTERIES WILL LAST AN ENTIRE SHIFT?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, you can efficiently manage batteries with real-time data not available from other manufacturers.

These easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

CARRY SOLUTIONS

Motorola Carry Solutions were developed to meet the demands of public safety and other users who operate in the most rigorous of environments. A variety of carrying accessories are available for comfort and convenience.



LEATHER CARRY CASES

Motorola Leather Carry Cases constructed of top-grain leather are designed to withstand the harsh conditions of public safety users.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES				
CARRY SOLUTIONS Carry cases and holders are available in sizes designed to fit your radio and battery and permit audio to be heard clearly. Our carry accessories keep your hands-free, so you can concentrate on the task at hand.								
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
APX 7000		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed		
APX 7000XE		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN6102	Plastic	3	Fixed		
APX 8000 APX 6000		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN7901	Plastic	2.5	Fixed		
APX 8000XE APX 6000XE		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN7902	Plastic	2.5	Fixed		
APX 3000		Covert Carry Holster	PMLN6327	Plastic	3	Fixed		
 APX 7000		Leather Carry Case with 3" Fixed Belt Loop	PMLN5323	Hard Leather	3	Fixed		NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMNN4485 PMNN4486
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5326	Hard Leather	3	Fixed		NNTN7033 NNTN7034 NNTN8921 PMNN4487 PMNN4494
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5329	Hard Leather	3	Fixed		NNTN7035 NNTN7036 NNTN7037 NNTN7573

COMPATIBILITY		ACCESSORY		FEATURES					
CARRY SOLUTIONS									
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
 APX 7000		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5324	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMNN4485 PMNN4486	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5327	Hard Leather	2.75	Swivel		NNTN7033 NNTN7034	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5330	Hard Leather	2.75	Swivel		NNTN7035 NNTN7036 NNTN7037 NNTN7573	
		Dual Display Radio Flip Leather Carry Case with 2.75" Swivel Belt Loop	PMLN5560	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 PMMN4403	
APX 8000 APX 8000XE APX 7000 APX 7000XE		Molded Nylon Carry Case with Quick Disconnect Swivel and Adjustable Lanyard	PMLN6802	Nylon		Swivel			
 APX 7000XE		Leather Carry Case with 3" Fixed Belt Loop	NNTN8112	Hard Leather	3	Fixed		NNTN7038 NNTN8092 PMMN4403	
		Leather Carry Case with 3" Fixed Belt Loop	NNTN8114	Hard Leather	3	Fixed		NNTN7033 NNTN7034	
		Leather Carry Case with 3" Fixed Belt Loop	NNTN8116	Hard Leather	3	Fixed		NNTN7035 NNTN7036 NNTN7037 NNTN7573	

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY			ACCESSORY	FEATURES				
CARRY SOLUTIONS								
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
 APX 7000XE		Leather Carry Case with 2.75" Swivel Belt Loop	NNTN8111	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 PMMN4403
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8113	Hard Leather	2.75	Swivel		NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8115	Hard Leather	2.75	Swivel		NNTN7035 NNTN7036 NNTN7037 NNTN7573
		Boston Leather Carry Case with D Rings – Requires an Audio Accessory, Radio strap holds down radio by strapping over the Audio Accessory connector, used with Boston Leather radio straps	AY000222A01	Hard Leather				
 APX 8000  APX 6000		Leather Carry Case with 3" Fixed Belt Loop	PMLN7903	Hard Leather	3	Fixed		NNTN7038 NNTN8092 PMMN4403 PMNN4485 PMNN4486 PMNN4547 NNTN8930 (for APX 6000)
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5660	Hard Leather	3	Fixed		NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN7904	Hard Leather	2.75	Swivel		NNTN8092 PMNN4485 PMNN4486 PMNN4547 NNTN8930 (for APX 6000)
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5659	Hard Leather	2.75	Swivel		NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)
 APX 8000XE  APX 6000XE		Leather Carry Case with 3" Fixed Belt Loop	PMLN7905	Hard Leather	3	Fixed		NNTN7038 NNTN8092 PMMN4403 PMNN4547 PMNN4485 (for APX 6000XE) PMNN4486 (for APX 6000XE) NNTN8930 (for APX 6000XE) PMNN4504 (for APX 8000XE)

COMPATIBILITY		ACCESSORY		FEATURES					
CARRY SOLUTIONS									
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
 APX 8000XE  APX 6000XE		Leather Carry Case with 3" Fixed Belt Loop	PMLN5879	Hard Leather	3	Fixed		NNTN7033 NNTN7034 PMNN4487 (for APX 6000XE) PMNN4494 (for APX 6000XE) NNTN8921 (for APX 6000XE) PMNN4505 (for APX 8000XE)	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN7906	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 PMMN4403 PMNN4547 PMNN4485 (for APX 6000XE) PMNN4486 (for APX 6000XE) NNTN8930 (for APX 6000XE) PMNN4504 (for APX 8000XE)	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5877	Hard Leather	2.75	Swivel		NNTN7033 NNTN7034 PMNN4487 (for APX 6000XE) PMNN4494 (for APX 6000XE) NNTN8921 (for APX 6000XE) PMNN4505 (for APX 8000XE)	
 APX 4000  APX 1000		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel			
		Carry Case for APX 4000 Two Knob Radios	PMLN7182	Hard Leather	2.5	Swivel			
		Replacement Belt Loop for PMLN7182	PMLN7229						
 SRX 2200		Nylon, Coyote Brown Carry Pouch designed to fit Elite Special Ops "Molle" Vest (sold separately)	NNTN8269	Nylon	Up to 5	Fixed			
		Coyote Brown Carry Case	RLN6253	Nylon	Up to 5	Fixed			
 APX 7000		Nylon Carry Case with 3" Fixed Belt Loop	PMLN5322	Nylon	3	Fixed		NNTN7038 PMMN4403 NNTN8092	
		Nylon Carry Case with 3" Fixed Belt Loop	PMLN5325	Nylon	3	Fixed		NNTN7033 NNTN7034	
		Nylon Carry Case with 3" Fixed Belt Loop	PMLN5328	Nylon	3	Fixed		NNTN7035 NNTN7036 NNTN7037 NNTN7573	

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES					
CARRY SOLUTIONS									
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
 APX 900		Leather Carry Case with 3" Fixed Belt Loop	PMLN5838	Hard Leather	3	Fixed			PMNN4424 PMNN4491 PMNN4493 PMNN4489 PMNN4448 NNTN8128
		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN5842	Hard Leather	2.5	Swivel			
		Leather Carry Case with 3" Swivel Belt Loop	PMLN5840	Hard Leather	3	Swivel			
		Nylon Carry Case with 3" Fixed Belt Loop.	PMLN5844	Nylon	3	Fixed			
APX 8000 APX 7000		Carry Case for APX Radio with Clamshell Battery	PMLN6712	Nylon	Up to 5	Fixed			
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		2.5" Hard Plastic Belt Clip (not compatible with APX 7000 UHF Radios)	NTN8266	Plastic	2.5				
		3" Hard Plastic Belt Clip	HLN6875	Plastic	3				
		Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	Nylon					
		Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	Nylon					
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	Nylon					
 APX 4000  APX 1000  APX 900		2" Hard Plastic Belt Clip	PMLN4651	Plastic					
		2.5" Hard Plastic Belt Clip	PMLN7008	Plastic					
			Accessory Connector Dust Cover	15012157001					

COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTIONS				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL
 APX 900		Replacement 2.5" Leather Swivel Belt Loop	PMLN5610	Hard Leather
		Replacement 3" Leather Swivel Belt Loop	PMLN5611	Hard Leather
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 1000		Replacement 2.5" Leather Swivel Belt Loop	PMLN5407	Hard Leather
		Replacement 2.75" Leather Swivel Belt Loop	PMLN5408	Hard Leather
		Replacement 3" Leather Swivel Belt Loop	PMLN5409	Hard Leather
 APX 7000XE		Replacement Carry Case Strap with Snaps, Long. Used with NNTN8111, NNTN8112, NNTN8113, NNTN8114, NNTN8115 and NNTN8116	PMLN5800	Leather
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 SRX 2200		1.75" Wide Leather Belt	4200865599	Leather
		Adjustable Nylon Carrying Strap	NTN5243	Nylon
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Boston Leather Fireman's Radio Strap	RLN6486	Leather
		Boston Leather Fireman's Radio Strap - XL	RLN6487	Leather
		Boston Leather Fireman's Radio Strap with button back holder	AY000223A01	Leather
		Boston Leather Fireman's Radio Strap with button back holder - XL	AY000229A01	Leather
		Boston Leather Anti-Sway Strap for Boston Leather Fireman's Radio Strap	RLN6488	Leather

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES							
ANTENNAS											
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC-CAPABLE†		
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	●	20	Whip	UL		
		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	●	14.2	Whip	UL		
		VHF, GPS Whip Antenna	NAR6593	VHF	136-174	●	20	Whip	UL		
	 APX 4000	900 MHz, GPS Antenna	PMAF4008	800/900	896-941	●	6	Whip			
			800/900 MHz, GPS Combination Helical Antenna	PMAF4003	800/900	806-941	●	18	Helical	UL	
	APX 8000 APX 8000XE APX 7000 APX 6000 APX 6000XE APX 4000 APX 1000		1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	●	9.8	Stubby	UL	
APX 8000		VHF, 700/800, UHF Range 1, UHF Range 2 GPS (radio only)	KT000026A01	VHF 700/800		●		Whip	UL		
APX 8000 APX 8000XE APX 7000 APX 7000XE		VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF 700/800	136-174 764-870	●	20	Whip	UL		
		VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF UHF	136-174 380-520	●	21.8	Whip	UL		
		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001	UHF 700/800	380-520 764-870	●	19.7	Whip	UL		

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

COMPATIBILITY		ACCESSORY		FEATURES						
ANTENNAS										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC-CAPABLE¹	
APX 900		UHF, Flexible Whip Antenna	PMAE4022	UHF	403-470		16	Flexible Whip	UL	
		VHF, 136-147 MHz, Stubby Antenna	PMAD4093	VHF	136-147		11	Stubby	UL	
		VHF, 147-160 MHz, Stubby Antenna	PMAD4094	VHF	147-160		11	Stubby	UL	
		VHF, 160-174 MHz, Stubby Antenna	PMAD4095	VHF	160-174		11	Stubby	UL	
		700/800 MHz Flexible Whip Antenna	NAF5080	700/800	764-870		6.5	Flexible Whip		
		Coaxial Flexible Whip Antenna, 896-941 MHz	NAF5088	900	896-941		7	Flexible Whip		
		VHF, 136-174 MHz, Flexible Whip Wideband Antenna,	PMAD4088	VHF	136-174		8.3	Flexible Whip	UL	
		700/800 MHz Stubby Antenna	PMAF4022	700/800	764-870		9	Stubby		
		UHF, 380-470 MHz, Stubby Antenna	PMAE4100	UHF	380-470		9	Stubby	UL	
		UHF, 450-527 MHz, Stubby Antenna	PMAE4102	UHF	450-527		9	Stubby	UL	
		UHF, 420-445Mhz, Stubby Antenna	PMAE4094	UHF	420-445		4.5	Stubby		

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES						
ANTENNAS										
PORTABLE RADIOS		DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC-CAPABLE†
APX 6000 APX 6000XE APX 4000 APX 1000		UHF Range 1, GPS Stubby Antenna	FAF5259	UHF	380-470	●	9.3	Stubby	UL	
		UHF Range 2, GPS Stubby Antenna	FAF5260	UHF	470-520	●	9.3	Stubby	UL	
	APX 7000 (700/800 MHz only) APX 6000 (700/800 MHz only)		GPS Antenna (Directly connected to radio when a public safety microphone is used)	NAG4000	700/800		●	7	Stubby	
			700/800 Public Safety Microphone Only Stubby Antenna	PMAF4002	700/800	764-870		9	Stubby	
 APX 3000		Flexible Antenna with one flexible antenna spacer, 700/800 MHz	PMAF4006	700/800	764-870	●	41	Flexible		
		Flexible Antenna with three flexible antenna spacers, UHF	PMAE4080	UHF	308-470	●	77	Flexible		
		Flexible Antenna with two flexible antenna spacers, VHF	PMAD4125	VHF	136-174		44	Flexible		
PROGRAMMING CABLES										
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 APX 900 SRX 2200		Programming and Test Cable	PMKN4013							
		Programming Cable (Not compatible with APX 900)	PMKN4012							

† HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



APX MOBILE RADIOS ACCESSORIES

COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO

You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is best-in-class technology, designed and optimized specifically for your APX mobile. There’s simply no substitute for APX accessories.



APX 8500 WITH
O3 CONTROL HEAD



APX 7500 WITH
O7 CONTROL HEAD



APX 6500 WITH
O5 CONTROL HEAD



APX 4500 WITH
O2 CONTROL HEAD



APX 1500 WITH
O2 CONTROL HEAD

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
LONG RANGE WIRELESS get ready in seconds without having to worry about the wires getting in the way. No more getting tangled with your seatbelt. Work, safer, smarter and more comfortable in demanding environments.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Vehicular Charger (PMMN6716)	RLN6551
		Long Range Wireless Mobile Accessory Kit (No Power Charger), includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Charger must be purchased separately	RLN6552
ACCESSORIES AND REPLACEMENT PARTS			
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Dual Unit Charger, Rapid Rate Charger, 120V	PMLN7120
		Vehicular Charger	PMLN6716
		Wireless RSM with Battery and Clip	RLN6544
		Mobile Microphone with Bluetooth Gateway	PMMN4097
		Wireless RSM Battery, 1750 mA Li-Ion	PMNN4461
		D Ring Swivel Clip (12 pack)	NNTN4990
		Receive-Only Earpiece with Comfort Eartube, UL approved†	RLN4941
		Receive-Only Earpiece with Comfort Eartube	PMLN7560
		Receive-Only Earbud, UL approved	AARLN4885
		EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513

† HazLoc Details: For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.



LONG RANGE WIRELESS REMOTE SPEAKER MICROPHONE (RSM)

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Long Range Wireless RSM works up to 100 meters away line-of-sight from the mobile radio, keeping you in communication where you never thought possible. Plug and play – Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk you through pairing quickly.


APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES		
MICROPHONES Access critical features directly on the Keypad microphone. Navigational buttons and a full keypad allow users to navigate radio menus, dial phone numbers and send text messages. Three programmable buttons are available for additional customization.					
MOBILE RADIOS	DESCRIPTION		PART NUMBER	MICROPHONE STYLE	IMPRES
APX 8500 SERIES APX 7500 SERIES  APX 8500 SERIES  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
		Keypad Microphone	HMN4079	Keypad + Navigation	
		Standard Palm Microphone	HMN1090	Standard	
		Water Resistant Palm Microphone	HMN1089	Standard	
		Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
		Hang-Up Handset with Armored Cable	HKN1018	Telephone	
		Handset with Hang-Up Cup	HLN1457	Telephone	
		Desktop Microphone	RMN5070	Desktop	
		IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	



IMPRES AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola’s exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user’s voice consistently to the receiving user regardless of how close they are speaking into the microphone.

COMPATIBILITY		ACCESSORY	
MOBILE MICROPHONE ACCESSORIES			
MOBILE RADIOS		DESCRIPTION	PART NUMBER
 APX 8500 SERIES  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES	 Microphone Hang-Up Clip	HLN5391	
	 Microphone Extension Cable, 2-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4093	
	 Microphone Extension Cable, 10-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4033	
	 Microphone Extension Cable, 20-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4034	
	 Emergency Push Button, can be used with the Visor Microphone	HLN5131	
	 Emergency Footswitch, can be used with the Visor Microphone	HLN5113	
	 Footswitch Push-To-Talk, can be used with the Visor Microphone	GLN7278	
	 Push Button Push-To-Talk, can be used with the Visor Microphone	RLN5926	
		Replacement Cable for HMN4079	3075336B10
CONTROL STATION ACCESSORIES			
APX 8500 SERIES		Power Supply for APX 8500 Mid Power Mobile Radio	KT000254A01
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		 Power Supply for APX Mid Power Mobile Radios	HPN4007
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		 Desktop Tray with Speaker	HLN6042
		 110V Line Cord, Replacement Cable for HPN4007	3060665A04



APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio to be mounted in the trunk when dash space is limited.			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
 APX 8500 SERIES  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		High Power Trunnion Kit; Quick Release with Lock-	HLN7003
		Mid Power Trunnion Kit; Standard Installation Bracket APX 6500 Enhanced requires KT000053A01 screws	HLN7002
		Mid Power Trunnion Lock	HLN6372
		Remote Mount Control Head Trunnion Compatible with 02/05 and 07 control heads	HKN6186
		Low Profile Remote Mount Control Head Trunnion Kit	HLN7031
		Dual Trunnion To be used with APX 8500 MP, APX 6500 and APX 6500 Enhanced	HLN7045B
	Motorcycle Enclosure, Black	HLN7022	

COMPATIBILITY	ACCESSORY		
EXTERNAL ALARM ACCESSORIES External alarm accessories enable additional switching power when external accessories are attached.			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	 External Alarm Relays		HLN6969



COMPATIBILITY	ACCESSORY		
SPEAKERS Boost audio at your control station on your desk or in your vehicle with external speakers.			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
 APX 8500 SERIES  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio	HSN4038
		Remote Mount, IPX4 Speaker, 15 Watt Rated Audio	HSN4040
		Non-Water Resistant Speaker, 13 Watt Rated Audio	HSN4032
		Covert 10 Watt Rated Audio Speaker	HSN4042
		Siren Speaker, Round with Grey Finish	TDN6254
		Siren Speaker, Under Hood with Grey Finish	TDN6253

COMPATIBILITY	ACCESSORY		
UNIVERSAL RELAY CONTROLLER			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	 Universal Relay Controller for 09 Control Head, 10 DC Outputs, 15 Amps per Channel		PMUN1046
	Universal Relay Controller to Transceiver Cable		3064153H05



APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY	
MOBILE SIREN		
MOBILE RADIOS	DESCRIPTION	PART NUMBER
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	Siren	DDN1542
	Siren Install Hardware	DDN1543
	Siren to Radio Cable	DDN1883
	O3 Siren to DEK Cable	DDN1545

COMPATIBILITY	ACCESSORY	
SIREN ACCESSORIES		
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES	 Siren Switchbox	HLN6819
	Wire Harness for Siren Switchbox. Needed to connect HLN6819 to DDN1774	DDN1886
	 Mode Direct Entry Keypad, 8-Buttons	H1835
	 Siren Cable, O3 Siren to Switchbox	HKN6146
	Siren Cable, O5 Siren to Switchbox	HKN4363
	 Siren Cable, Direct Keypad for O3 Control Head	HKN6145



COMPATIBILITY	ACCESSORY	
SLIM (SIREN LIGHT INTERFACE MODULE)		
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES	SLIM (Siren Light Interface Module)	DDN1774
	Power Harness for SLIM	DDN1775
	Radio to SLIM Cable	DDN1776
	Programming Kit for SLIM	DDN1777
	Interface Kit IK-A1	DDN1778
	Interface Kit IK-A4	DDN1779
	Interface Kit IK-C1	DDN1780
	Interface Kit IK-D3	DDN1781
	Interface Kit IK-E2	DDN1782
	Interface Kit IK-F5	DDN1783
	Interface Kit IK-A1WA	DDN1896
	Interface Kit IK-A1WB	DDN1897
	Interface Kit IK-C1F	DDN1898
	Interface Kit IK-C1C	DDN1899
	Interface Kit IK-A4WC	DDN1937

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	
CABLES			
MOBILE RADIOS		DESCRIPTION	PART NUMBER
CONTROL HEAD CABLES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		O3 Handheld Control Head Extension Cable, 17-Feet	PMLN4958
		O3 Handheld Control Head Accessory Cable	PMLN4959
		Control Head Cable with Connections for Power, Speaker and Headset Jack	HKN6187
		Control Head Cable with Connections for Power and Speaker	HKN6188
REMOTE MOUNT CABLES			
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		Remote Mount Cable, 131-Feet	HKN6164
		Remote Mount Cable, 115-Feet	HKN6165
		Remote Mount Cable, 75-Feet	HKN6166
		Remote Mount Cable, 50-Feet	HKN6167
		Remote Mount Cable, 30-Feet	HKN6168
		Remote Mount Cable, 17-Feet	HKN6169
		Remote Mount Cable, 10-Feet	HKN6170
		Cable, Remote Control Head Vehicular Interface Port Connector for O5 Control Head	HKN6196
APX 7500 SERIES		Cable, Remote Control Head Mobile Accessory Port Connector for O5 Control Head	HKN6961
		Motorcycle Remote Cable for O5 Control Head	3075217A02
KEYLOAD CABLES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Keyloader Cable, KVL3000 and KVL4000	TKN8531
		Keyload Adapter for Mobile Microphone Port	HKN6182



COMPATIBILITY		ACCESSORY	
CABLES			
MOBILE RADIOS		DESCRIPTION	PART NUMBER
POWER CABLES			
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		Mid Power, Dash Mount Power Cable, 10-Feet	HKN4191
		Mid Power, Remote Mount Power Cable, 20-Feet	HKN4192
		Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
		High Power, Remote Mount Power Cable 20-Feet	HKN6110
		Motorcycle Power Cable	HKN6032
DATA CABLES			
APX 8500 SERIES		Data Cable connects APX 8500 to Siren and DVRS MSU support with J600 port adapter	CB000409A01
APX 8500 SERIES APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES		Data Tethering Cable, required to connect to VML or certified data modem	KT000252A01
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		RS232 Cable for Rear Accessory Port, Dash Mount Only, 6-Feet	HKN6160
		RS232 Cable for Rear Accessory Port, Remote Mount Only, 20-Feet	HKN6161
		RS232 Cable for Mobile Microphone Port	HKN6183
		RS232 Cable for J600 Transceiver Interconnect Board, 22-Feet	HKN6122
PROGRAMMING CABLES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		USB Cable, Rear Accessory Port, Remote Mount, 15-Feet (for use with customer program software)	HKN6172
		USB Cable, Rear Accessory Port, Dash Mount, 6-Feet (for use with customer program software)	HKN6163
APX 7500 SERIES APX 6500 SERIES		Programming Cable	HKN6184



ANTENNAS

For optimum range and quality, it is important to match the mobile radio’s frequency with the proper Motorola antenna. These are available as standard 1/4 wave models or can include 3dB, 3.5dB or 5dB signal gain.



APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES		
ANTENNAS A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.					
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
APX 8500 MOTORCYCLE ANTENNAS					
 APX 8500 SERIES	All Band Mobile Antenna	AN000131A01			Through-hole
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 136-144 MHz, No Tuning Required	AN000197A01	VHF	136-144	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 144-150.8 MHz, No Tuning Required		VHF	144-150.8	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 150.8-162 MHz, No Tuning Required	AN000197A03	VHF	150.8-162	Motorcycle

COMPATIBILITY	ACCESSORY		FEATURES		
ANTENNAS					
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
APX 8500 MOTORCYCLE ANTENNAS					
 APX 8500 SERIES	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 162-174 MHz, No Tuning Required	AN000197A04	VHF	162-174	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 380-433 MHz, No Tuning Required	AN000197A05	UHF	380-433	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 425-470 MHz, No Tuning Required	AN000197A06	UHF	425-470	Motorcycle
	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 450-482 MHz, No Tuning Required	AN000197A07	UHF	450-482	Motorcycle

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES		
ANTENNAS					
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
APX 8500 MOTORCYCLE ANTENNAS					
 APX 8500 SERIES	Motorcycle Mount, 1/4 Wave Whip Antenna with QMA Connector, 482-520 MHz, No Tuning Required	AN000197A08	UHF	482-520	Motorcycle
	Motorcycle Mount, Low Profile, Unity Gain Antenna with QMA Connector, 450-512 MHz, No Tuning Required	AN000197A09	UHF	450-512	Motorcycle
	Motorcycle Mount Antenna with QMA Connector, 3dB Gain, 762-870 MHz	AN000197A10	800/900	762-870	Motorcycle
	Motorcycle Mount, Low Profile Antenna with QMA Connector, 3dB Gain, 762-870 MHz	AN000197A11	800/900	762-870	Motorcycle

COMPATIBILITY	ACCESSORY	
APX 8500 ANTENNA MULTIPLEXERS AND ADAPTERS		
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 APX 8500 SERIES	Vehicle Multiplexer (supports HP)	EQ000103A02
	Motorcycle Multiplexer (low power)	EQ000103A01
	Mini U To QMA Adapter 12"	CB000091A03
	QMA to QMA Adapter 12"	CB000091A02
	SMA to QMA Adapter 12"	CB000091A04



COMPATIBILITY		ACCESSORY		FEATURES			
ANTENNAS							
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 800/900 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE	
VHF ANTENNAS (RF ONLY)							
 APX 8500 SERIES*  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		VHF 1/4 Wave Antenna, 136-144 MHz	HAD4006	VHF	136-144	Through-hole	
		VHF 1/4 Wave Antenna, 144-150.8 MHz	HAD4007	VHF	144-150.8	Through-hole	
		VHF 1/4 Wave Antenna, 150.8-162 MHz	HAD4008	VHF	150.8-162	Through-hole	
		VHF 1/4 Wave Antenna, 162-174 MHz	HAD4009	VHF	162-174	Through-hole	
		VHF 1/4 Wave Antenna, 136-162 MHz	HAD4016	VHF	136-162	Through-hole	
		VHF 1/4 Wave Antenna, 146-174 MHz	HAD4017	VHF	146-174	Through-hole	
		VHF Wideband Antenna, 136-174 MHz	HAD4021	VHF	136-174	Through-hole	
		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	HAD4022	VHF	136-174	Through-hole	
		UHF ANTENNAS (RF ONLY)					
		 APX 8500 SERIES*  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		UHF 1/4 Wave Antenna, 380-433 MHz	HAE6012	UHF	380-433
UHF 1/4 Wave Antenna, 450-470 MHz	HAE4003			UHF	450-470	Through-hole	
UHF 1/4 Wave Antenna, 470-512 MHz	HAE4004			UHF	470-512	Through-hole	

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES			
ANTENNAS						
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS (RF ONLY)						
 APX 8500 SERIES*  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		UHF 3 dB Gain Antenna, 494-512 MHz	HAE4013	UHF	494-512	Through-hole
		UHF 3.5 dB Gain Antenna, 380-420 MHz MAXRAD	HAE6010	UHF	380-420	Through-hole
		UHF 3.5 dB Gain Antenna, 470-495 MHz	HAE4011	UHF	470-495	Through-hole
		UHF 3.5 dB Gain Antenna, 450-470 MHz	HAE4012	UHF	450-470	Through-hole
		UHF 5 dB Gain Antenna, 380-420 MHz MAXRAD	HAE6011	UHF	380-420	Through-hole
		UHF 5 dB Gain Antenna, 455-470 MHz	RAE4014	UHF	455-470	Through-hole
		UHF 5 dB Gain Antenna, 470-494 MHz	RAE4015	UHF	470-494	Through-hole
		UHF 5 dB Gain Antenna, 494-512 MHz	RAE4016	UHF	494-512	Through-hole
		UHF 2 dB Gain Wideband Antenna, 380-470 MHz, MAXRAD	HAE6013	UHF	380-470	Through-hole
		UHF 2 dB Gain Wideband Antenna, 450-512 MHz	HAE6015	UHF	450-512	Through-hole
		UHF 2 dB Gain Wideband Antenna, 380-520 MHz	HAE6031	UHF	380-520	Through-hole
		UHF Wideband Low Profile Antenna, 450-512 MHz	HAE6016	UHF	450-512	Through-hole

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.

COMPATIBILITY	ACCESSORY		FEATURES			
ANTENNAS.						
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	MOUNTING STYLE	
700/800 MHZ ANTENNAS (RF ONLY)						
 APX 8500 SERIES*  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES	 1/4 Wave Antenna, 762-870 MHz	HAF4016	700/800	762-870	Through-hole	
	 3 dB Gain Low Profile Antenna, 762-870 MHz	HAF4013	700/800	762-870	Through-hole	
	 3 dB Gain Elevated Feed Antenna, 762-870 MHz	HAF4014	700/800	762-870	Through-hole	
	 3 dB Gain Collinear Antenna, 762-870 MHz	HAF4017	700/800	762-870	Through-hole	

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.



APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES		
ANTENNAS					
MOBILE RADIOS	DESCRIPTION	PART NUMBER	GPS / WI-FI	FREQUENCY BAND (MHz)	MOUNTING STYLE
GPS / WI-FI ANTENNAS					
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES	 GPS Roof Mount Antenna SMA Male connector with RG-174 17ft cable	HAG4000	GPS Only		Roof Mount
	 GPS Glass Mount Antenna SMA Male connector with RG-174 17ft cable	PMAN4001	GPS Only		Glass Mount
 APX 8500 SERIES*  APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES	Convert glass-mount motorcycle antenna with Wi-Fi 5GHz	PMAN5101	Wi-Fi Only		Glass Mount
	Convert glass-mount motorcycle antenna with GPS GNSS	PMAN4109	GPS Only		Glass Mount
	Wi-Fi/GPS Combination Vehicle Antenna	AN000163A01	GPS Wi-Fi		Through-hole
	Wi-Fi/GPS Combination Motorcycle Antenna	AN000163A02	GPS Wi-Fi		Motorcycle
	 APX 7500 SERIES	 GPS Motorcycle Antenna	HAG4001	GPS Only	

*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.



GLOSSARY

HAZLOC-CAPABLE

For more information on which accessories are approved by Underwriters’ Laboratory (UL) with certain APX models, please consult the manual provided with each UL-approved APX portable.

Motorola-approved accessories are a critical part of the overall radio system intrinsic safety certification. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved and unsafe in a hazardous environment.

IP RATING

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

💧 **IPx7** represents withstanding submersion in 1 meter of fresh water for 30 minutes.

💧 **IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 meter for another 2 hours.

💧 **IPx8+Rugged** represents exceeding industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 meters for another 4 hours.

MICROPHONE NOISE SUPPRESSION

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

Dual Mic Noise Suppression: Dual-microphone design tracks your voice so that you can keep your eye on what’s in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-cancelling microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

SWIVEL OR FIXED LOOP

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola mission critical accessories,
visit motorolasolutions.com/apx.



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2020 Motorola Solutions, Inc. All rights reserved. 12-2020